

**2022**

BICYCLES | ELECTRIC BICYCLES



# CONTENT

|                             |    |
|-----------------------------|----|
| INTRO                       | 2  |
| BOSCH: THE IDEAL DRIVE UNIT | 8  |
| GATES CARBON DRIVE          | 10 |
| CITY-URBAN E-BIKE           | 12 |
| SPECIAL E-BIKE              | 30 |
| TREKKING E-BIKE             | 42 |
| MTB E-BIKE                  | 54 |
| SUV E-BIKE                  | 60 |
| TREKKING BICYCLES           | 70 |
| CROSS BICYCLES              | 80 |
| MTB BICYCLES                | 90 |
| CITY BICYCLES               | 96 |
| GRAVEL BICYCLES             | 98 |

## LEGEND

|        |         |                                   |                                 |                                   |             |
|--------|---------|-----------------------------------|---------------------------------|-----------------------------------|-------------|
| 2A     | CHARGER | BOSCH PERFORMANCE CARGO LINE GEN4 | BOSCH PERFORMANCE LINE CX GEN 4 | BAFANG MAX / M800                 | FORK COLOR  |
| 400WH  | BATTERY | BOSCH ACTIVE LINE PLUS GEN3       | BOSCH PERFORMANCE LINE GEN3     | BOSCH PERFORMANCE LINE SPEED GEN4 | DECAL COLOR |
| PURION | DISPLAY | BOSCH SMARTPHONE HUB              | 45 Km/h                         | COASTER BREAK                     | FRAME COLOR |

The provider assumes no liability for the accuracy, completeness and actuality of the content provided.

# Short story of Gepidas

The Gepids were an East Germanic tribe which spoke the same language as the Goths, but probably different dialects. The first unequivocal archaeological traces of this ethnic group come from the 2nd-3rd century and can be followed up to the estuary of the Visztula River.

They were presumably of Eastern German origin, and considered themselves rich and generous. They first appeared in the Carpathian Basin in the 3rd-4th century, around the Szamos. They never interbred and relations between the two tribes was tense. At times, they had substantial power and they fought the Goths and other ethnic groups for important territories.

The Gepids were initially ruled under a federal tribe system and lived in village communities. The real power was held by the folk convention, which was a union of the armed forces. They elected a king only in certain important historical situations. They were conquered by the Huns when the Hun kingdom and empire evolved, but they managed to maintain their self-identity: they became allies of Attila. After Attila's death, the Gepids probably also acquired the Hun kingdom's treasury, occupying significant territories in all directions, and were recognised by the Byzantine Empire. The Byzantine Emperor greeted the Gepids as his ally, and through commercial connections the Gepids became prosperous. Further conquests and defeats, large geo-political shifts and inner power conflicts caused the central power to weaken, and affected the formation of more royal courts. In light of this, a uniform regiment came into existence in the 6th century. In the middle of the 6th century the Gepids

occupied the Byzantine city of Sirmium, where they established their royal court and treasury. Byzantium revoked their annual grant and made a confederation with the Lombards, providing them with important territories in the old Goth Pannonia. The two Germanic ethnic groups, the Gepids and the Lombards, fought each other for around 30 years, and the less well armed Gepids suffered defeats against the Lombard cavalry. They lost the Byzantine territories they had occupied, but kept hold of Sirmium, where the first early medieval silver coins of the Carpathian Basin were made.

Later on Byzantium breached the agreement with the Lombards as well, and attacked the Gepida territory together with their new allies, the western refugee nomad Avar ethnic groups. The Gepida army suffered a devastating defeat, their king was killed, and their treasury was safely removed to Byzantium, while the population moved to Italy. Under the large-scale Avar occupation, the Gepids were essentially wiped out, with only smaller Transylvanian centres surviving. However, during the 7th century these small groups were all subsumed by other ethnicities in the region. The most significant of the Gepida graves that have been unearthed are in Szilágysomlyó in Transylvania, where the royal treasures – presumably from the reign of the Hun Empire – were buried.

And what  
comes  
**after that..**

# Story of GEPIDA

## 1993

Our story starts in the middle of this year in Murányi Street... We start from a small 40 sqm shop with only a few bikes. We import full bikes and most of them are stored in the underground garage.



MURÁNYI  
UTCA  
SINCE 1993

## 1994-1997

Thanks to our commitment, already 1 year after the start we rent a 20 times larger assembly hall. Our first production line is built and almost immediately we become known as Olimpia in Hungary. Our small team of only 20 people goes from strength to strength! We will dismantle our 100,000th bicycle in 1997!

## 1998

One of the most significant stages in our history: we buy the Gepida brand name and enter the international stage at the most prestigious exhibition in Europe.



## 2004

Our bravery will be rewarded! We are strengthening the Gepida name in the market of electric bicycles and our range of bicycle types is expanding. We are able to serve our already 80% foreign customers with better and better bikes. We can already meet Gepida bikes on the roads in 10 other countries besides Hungary. Compared to the beginning, the number of our employees is doubling, now 40 of us are working together in one team!



## 2000

We are launching our first electric bike with the Sram Sparc 5-speed electric system, and with that, we are finally casting our vote for electric bikes. We are boldly embarking on a new path, which is still unknown in Hungary.



## 2016-2017

The Gepida brand fly to the heights, both at home and abroad. We ship almost fully electric bicycles to 30 countries already, our team reaches 100 people. We create our top model, the Asgard FS, which is unique in the market in terms of design. We open the Gepida Factory Store in Budapest, where the entire product range can be viewed.



## 2021

In a world turned upside down, Gepida is still standing stable! We are launching a major investment, building a new logistics center in Budapest. We are also starting direct sales to private customer in Germany and the Czech Republic. The recognition of Gepida is constantly growing, thanks to the persistent and dedicated work of our team!



## 2019

We are setting another milestone in the history of Gepida: we are launching our online webshop, which is open to our Hungarian private customers in the first round. This year we are already represented on 3 continents in the world.

## 2010-2013

This period is characterized by continuous development and an expanding bicycle market. We introduce our own mobile application and we also develop our own electrical system called GPDS. In 2012 the 1,000,000th bike will roll off our production line.



## The year 2021

was also a challenging year globally, where the importance of **healthy lifestyle** and the **protection of the environment**, so cycling as a way of life, came to the fore.

The rising demand and continued depletion of stocks pose challenges for both manufacturers and buyers. However, we at Gepida are still hold one's ground. Armed with the **experience of the last 29 years** and standing on the solid foundations laid so far, we will continue the work.

We are constantly striving to produce **reliable, practical** and **efficient bicycles** in 2022, to meet the needs of our customers, carrying the characteristics of Gepida's modern and innovative solutions.

As a result of our commitment, we will continue to offer our customers new models in 2022 - be it **pedelec** or **conventional bicycles** - a reliable companion, both in the city and in the tougher, mountainous terrain.

Photos: Balázs Pálfi, Máté Nagy, Sándor Csudai



# BOSCH: THE IDEAL DRIVE UNIT

With Bosch's world-renowned drive systems, we can provide unique eBike experience to any Gepida owner!



## ACTIVE LINE GEN 3

Whether you need to get to work in the morning or to a restaurant in the evening: Active Line brings the joy back to urban mobility - even in rush hour. Smooth, lightweight and quiet, it is the ideal way to get around town. Its controlled acceleration with barely noticeable pedal resistance at over 25 km/h or when switched off turns every trip into a delight, as well as making an elegant statement. The Active Line is a recipient of the Red Dot Design Award. The drive unit integrates perfectly into the bike's frame and its light weight completes the impressive package.

## ACTIVE LINE PLUS GEN 3

The easy way to generate new experiences: The desire for new discoveries knows no bounds. Not even in the city. Active Line Plus brings mobility to everyday life and extends your options for spontaneous trips. The quiet yet powerful drive unit offers significant riding enjoyment. It allows agile handling and fits perfectly inside the frame of the eBike. Incredibly quiet and barely noticeable pedal resistance over 25 km/h. New experiences and discoveries await!



## PERFORMANCE LINE GEN 3

The Performance Line is the most versatile drive system from Bosch. Whether you're on a sporty jaunt through the countryside, commuting to work or cruising on a leisurely outing, it always delivers the right support at the right moment. There are two variants. The Performance Drive Unit provides support with a torque of up to 65 Nm and a maximum speed of 25 km/h and offers a naturally sporty riding sensation. It enables riders to get the most out of outings, even in mountainous terrain. The Performance Speed Drive Unit enables high speeds to be reached even faster, while long distances can be covered with ease. It supports S-Pedelecs up to 45 km/h and will speed riders on their way with a torque of 85 Nm from model year 2021 onwards.



## PERFORMANCE LINE SPEED GEN 4

With a whopping 85 Nm of maximum torque and a low weight of only 2.9 kg developed for dynamic support in everyday life or in leisure use. High speeds are reached quickly - the perfect way to cover long distances effortlessly. The higher torque of 85 Nm ensures a more dynamic riding sensation, especially in low cadences.



## CARGO LINE GEN 4

From making deliveries to customers or getting the kids to kindergarten or doing the shopping, the Cargo Line, which is designed specially for cargo bikes, makes transport easy and convenient. Whether laden or unladen, The Cargo Line Drive Unit responds precisely and predictably in every situation. There will be a software update for the Cargo Line for the 2021 model year: In addition to a stronger torque of 85 Nm, cargo bikers will also benefit from more dynamic adjustment. The motor now provides more powerful support at low cadences, offering a greater boost when the rider starts off or accelerates. This makes everyday transport more relaxed and ensures maximum riding enjoyment on delivery rounds.

For the 2021 model year, Bosch is launching a software update for the Cargo Line that will increase the maximum torque to 85 Nm and further improve riding comfort. The software update is available for cargo bikes with the Cargo Line Drive Unit and can be installed by retailers from summer 2020 onwards.



## PERFORMANCE LINE CX GEN 4

The Performance Line CX offers a unique eMTB experience: Compact, lightweight and with more power, it combines high-quality materials, an extremely powerful drive and high-end sensors. This brings eMountain biking on the trail to a whole new level. From model year 2021 with a torque of up to 85 Nm, features in the motor control and a further development of eMTB mode - all as a software update. For a thrilling riding experience: more natural, intuitive and powerful and an absolute benchmark in its class.



# Less noise. Less maintenance. A whole lot more fun.


## WHAT IS GATES CARBON DRIVE?

The technology behind Gates Carbon Drive System is rooted in high horsepower motorcycles and dragsters. Now, this high performance technology has been perfected for a wide variety of bicycles.

At the core of the drive is the Carbon Drive belt. Custom made, this 11mm pitch, carbon-fiber belt is a strong and efficient replacement to a traditional bike chain. The drive is completed with our innovative sprocket designs and your choice of internally-gearred or single-speed hub.

The patented Gates Carbon Drive System gives you a longer-lasting, lower-maintenance drive, and most importantly, an unbelievably awesome ride.

## CDX + CDN belt construction



## WHY GATES CARBON DRIVE?

### LIGHT

Gates Carbon Drive weighs less than a chain drive. Lighter weight means higher performance.

### CLEAN. LOW MAINTENANCE.

No lube required = no grease stains. It sheds dirt and grime and cleaning with water is easy. Just get on it and ride.



### STRONG.

The instant engagement and smooth feel is unlike anything you've experienced before. You've got to ride it to believe it.


### QUIET.

No chain = no chain clatter. It's spooky quiet.




# CITY-URBAN

Whether you are commuting to work or arranging your daily to-dos, we would gladly recommend you any one of your Urban E-Bike family. High quality and unique design enable quick and stylish pedalling through the streets. Due to the electric assistance, you can also cover greater distances without mentionable physical effort, so you can arrive at the first morning meeting even in a suit or costume in top shape.



**CITY-URBAN E-BIKE**

# BONUM PRO BELT




|             |  |
|-------------|--|
| FRAME       | ALLOY BOSCH CITY W FRAME 28" POWERPIPE DISC FOR GEARHUB BELT DRIVE |
| FRAME SIZE  | 46, 49, 53, 57 CM  |
| FORK        | MOBIE25-COIL LOR DS 15AH2 700C 63/75MM                             |
| WHEEL SIZE  | 28"  |
| GEARS       | STEPLESS   |
| ITEM NUMBER | 30222495   |

|                 |  |
|-----------------|--|
| REAR DERAILLEUR | ENVIOLÒ TR                                   |
| BRAKE           | SHIMANO BR-MT410                             |
| TYRE            | SCHWALBE ENERGIZER, 50-622 W/REFLECTIVE TAPE |
| SADDLE          | SELLE ROYAL SCIENTIA M3 ACTEX BLACK COVER    |
| LIGHT           | LEZYNE MINI 65 / TRELOCK LS611               |
| COLOUR          | 30222495A  30222495B  30222495B              |

HEADSET: FSA NO.42B STEM: ZOOM TDS-C269 90MM ADJUSTABLE HANDLEBAR: GEPIDA ALLOY JD-TR23AL 640MM BB: 31,8MM RISE: 25MM GRIP: VELO VLG-649AD2S +VLP-69-1 BRAKE LEVER: SHIMANO BL-MT401 REAR DISC: SHIMANO SM-RT56S 160MM REAR SHIFTER: ENVIOLÒ TWIST PURE SEAT POST: PROMAX SP-226 30,9X300 CRANKARM: CRANK ARM 170MM GEN4 BLACK CK220 CHAINWHEEL: GATES CDX 46T W/ CHAINGUARD CASSETTE: GATES CDX 24T FOR ENVIOLÒ 44 SPLINE CHAIN: GATES CDX BELT 122T REAR RIM: RODI BLACKROCK 29" 622X21C 32H W/ SINGLE EYELET FRONT HUB: SHIMANO ALIVIO HB-MT400 32H 15QR REAR HUB: ENVIOLÒ TR 380% 32H REAR SPOKE: SAPIM STAINLESS STEEL 14G BLACK CARRIER: GEPIDA ALLOY, W/ SPRING CLAMP, WITH RACKTIME SNAPIT MOUNTING MUDGUARD: SKS EVO AL 28" 55MM BATTERY LOCK: ABUS POWERTUBE LOCK PEDAL: XERAMA SP-610 W/ REFLECTOR KICKSTAND: STANDWELL SW-RA032J, 18MM ADJUSTABLE

## BONUM EDGE DEORE 10



✓ FRAME ALLOY BOSCH CITY W FRAME 28" POWERTUBE  
DISC FOR DERAILLEUR

✓ FRAME SIZE 46, 49, 53, 57 CM

-C FORK SR SUNTOUR NEX DS 700C 63MM

○ WHEEL SIZE 28"

⚙ GEAR 10

ITEM NUMBER

**30221435**

HEADSET: FSA NO.42B-1 STEM: ZOOM TDS-C269 90MM ADJUSTABLE HANDLEBAR: CEPIDA ALLOY NR-AL124 630MM BB: 31,8MM GRIP: VELO VLG-690AD2 BRAKE LEVER: SHIMANO BL-MT200 REAR DISC: SHIMANO SM-RT26S 160MM REAR SHIFTER: SHIMANO DEORE SL-M4100 10S RAPIDFIRE PLUS SEAT POST: KALLOY SP-509 TRAVEL: 40MM 30,9X300MM CRANKARM: FSA CK-200 170MM CHAINWHEEL: FSA STEEL 38T CASSETTE: SHIMANO DEORE CS-HG5010, 11-36T CHAIN: SHIMANO CN-HG54 CHAINGUARD: HESLING SUPORTIVE VER.2.38T REAR RIM: RODI BLACKROCK 29" 622X21C 32H W/ SINGLE EYELET FRONT HUB: FORMULA DC-20 32H QR REAR HUB: FORMULA DC-22 32H QR REAR SPOKE: SAPIM STAINLESS STEEL 14G BLACK CARRIER: CEPIDA ALLOY, W/SPRING CLAMP, WITH RACKTIME SNAPIT MOUNTING MUDGUARD: SKS 28" USC ALUFLEX PET 53MM BATTERY LOCK: ABUS POWERTUBE LOCK PEDAL: XERAMA SP-811 W/ REFLECTOR KICKSTAND: STANDWELL SW-RA032J, 18MM ADJUSTABLE



400 WH / 500 WH / 625 WH



✓ FRAME ALLOY BOSCH CITY W FRAME 28" POWERTUBE  
DISC FOR GEARHUB

✓ FRAME SIZE 46, 49, 53, 57 CM

-C FORK SR SUNTOUR NEX DS 700C 63MM

○ WHEEL SIZE 28"

⚙ GEAR 8

ITEM NUMBER


**30221425**

HEADSET: FSA NO.42B-1 STEM: ZOOM TDS-C269 90MM ADJUSTABLE HANDLEBAR: CEPIDA ALLOY NR-AL124 630MM BB: 31,8MM GRIP: VELO VLG-690AD2 BRAKE LEVER: SHIMANO BL-MT200 REAR DISC: SHIMANO SM-RT26S 160MM REAR SHIFTER: SHIMANO NEXUS 8 SL-C6000-8 REVOSHIFT SEAT POST: KALLOY SP-509 TRAVEL: 40MM 30,9X300MM CRANKARM: FSA CK-200 170MM CHAINWHEEL: FSA STEEL 38T CHAIN: KMC Z50 CHAINGUARD: HESLING SUPORTIVE VER.2.38T REAR RIM: RODI BLACKROCK 29" 622X21C 32H W/ SINGLE EYELET FRONT HUB: FORMULA DC-20 32H QR REAR HUB: SHIMANO NEXUS 8 SG-C6001-8CD 32H REAR SPOKE: SAPIM STAINLESS STEEL 14G BLACK CARRIER: CEPIDA ALLOY, W/SPRING CLAMP, WITH RACKTIME SNAPIT MOUNTING MUDGUARD: SKS 28" USC ALUFLEX PET 53MM BATTERY LOCK: ABUS POWERTUBE LOCK PEDAL: XERAMA SP-811 W/ REFLECTOR KICKSTAND: STANDWELL SW-RA032J, 18MM ADJUSTABLE

|                   |   |
|-------------------|---|
| ⚙ REAR DERAILLEUR | SHIMANO NEXUS8                            |
| ♀ BRAKE           | SHIMANO BR-MT200                          |
| *** TYRE          | SCHWALBE ENERGIZER 50-622 REFLECTIVE TAPE |
| ➡ SADDLE          | SELLE ROYAL ESSENZA ASTRALE BLACK COVER   |
| ⚡ LIGHT           | AXA BLUELINE 30 / TRELOCK LS611           |
| COLOUR            | 30221435B                                 |
|                   | 30221435A                                 |
|                   | 30221435C                                 |

30221425A 30221425C

## BONUM EDGE NEXUS 8




|             |   |
|-------------|---|
| FRAME       | ALLOY BOSCH CITY W FRAME 28" POWERTUBE DISC FOR GEARHUB |
| FRAME SIZE  | 46, 49, 53, 57 CM                                       |
| FORK        | SR SUNTOUR NEX DS 700C 63MM                             |
| WHEEL SIZE  | 28"   |
| GEARS       | 8   |
| ITEM NUMBER | 30221455  |

|                 |   |
|-----------------|---|
| REAR DERAILLEUR | SHIMANO NEXUS8                            |
| BRAKE           | SHIMANO BR-MT200                          |
| TYRE            | SCHWALBE ENERGIZER 50-622 REFLECTIVE TAPE |
| SADDLE          | SELLE ROYAL ESSENZA ASTRALE BLACK COVER   |
| LIGHT           | AXA BLUELINE 30 / TRELOCK LS611           |
| COLOUR          | 30221455B                                 |
|                 | 30221455A                                 |
|                 | 30221455C                                 |

HEADSET: FSA NO.42B-1 STEM: ZOOM TDS-C269 90MM ADJUSTABLE HANDLEBAR: GEPIDA ALLOY NR-AL124 630MM BB: 31,8MM GRIP: VELO VLC-690AD2 BRAKE LEVER: SHIMANO BL-MT200 REAR DISC: SHIMANO SM-RT26S 160MM REAR SHIFTER: SHIMANO NEXUS 8 SL-C6000-8 REVOSHIFT SEAT POST: KALLOY SP-509 TRAVEL: 40MM 30,9X300MM CRANKARM: FSA CK-200 170MM CHAINWHEEL: FSA STEEL 38T CHAIN: KMC Z50 CHAINGUARD: HESLING SUPORTIVE VER.2 38T REAR RIM: RODI BLACKROCK 29" 622X21C 32H W/ SINGLE EYELET FRONT HUB: FORMULA DC-20 32H QR REAR HUB: SHIMANO NEXUS8 SG-C6001-8D 32H REAR SPOKE: SAPIM STAINLESS STEEL 14G BLACK CARRIER: GEPIDA ALLOY, W/SPRING CLAMP, WITH RACKTIME SNAPIT MOUNTING MUDGUARD: SKS 28" USC ALUFLEX PET 53MM BATTERY LOCK: ABUS POWERTUBE LOCK PEDAL: XERAMA SP-811 W/ REFLECTOR KICKSTAND: STANDWELL SW-RA032J, 18MM ADJUSTABLE

## BONUM EDGE BELT NEXUS 8




|             |   |
|-------------|---|
| FRAME       | ALLOY BOSCH CITY W FRAME 28" POWERTUBE DISC FOR GEARHUB |
| FRAME SIZE  | 46, 49, 53, 57 CM                                       |
| FORK        | SR SUNTOUR NEX DS 700C 63MM                             |
| WHEEL SIZE  | 28"   |
| GEARS       | 8   |
| ITEM NUMBER | 30221485  |

HEADSET: FSA NO.42B-1 STEM: ZOOM TDS-C269 90MM ADJUSTABLE HANDLEBAR: GEPIDA ALLOY NR-AL124 630MM BB: 31,8MM GRIP: VELO VLC-690AD2 BRAKE LEVER: SHIMANO BL-MT200 REAR DISC: SHIMANO SM-RT10S 160MM REAR SHIFTER: SHIMANO NEXUS 8 SL-C6000-8 REVOSHIFT SEAT POST: KALLOY SP-509 TRAVEL: 40MM 30,9X300MM CRANKARM: FSA CK-200 170MM CHAINWHEEL: GATES CDC 46T 104BCD CASSETTE: GATES CDC 24T FOR NEXUS CHAIN: GATES CDX BELT 122T REAR RIM: RODI BLACKROCK 29" 622X21C 32H W/ SINGLE EYELET FRONT HUB: FORMULA DC-20 32H QR REAR HUB: SHIMANO NEXUS8 SG-C6001-8D 32H REAR SPOKE: SAPIM STAINLESS STEEL 14G BLACK CARRIER: GEPIDA ALLOY, W/SPRING CLAMP, WITH RACKTIME SNAPIT MOUNTING MUDGUARD: SKS 28" USC ALUFLEX PET 53MM BATTERY LOCK: ABUS POWERTUBE LOCK PEDAL: XERAMA SP-811 W/ REFLECTOR KICKSTAND: STANDWELL SW-RA032J, 18MM ADJUSTABLE

## BONUM EDGE NEXUS 8

CITY - URBAN E-BIKE



FRAME ALLOY BOSCH CITY W FRAME 26" POWERTUBE  
DISC/GEARHUB

FRAME SIZE 46, 49 CM

FORK SUNTOUR NEX DS 26" 63MM

WHEEL SIZE 26"

GEARS 8

ITEM NUMBER

**30221445**

REAR DERAILLEUR SHIMANO NEXUS8

BRAKE SHIMANO BR-MT200

TYRE SCHWALBE BIG APPLE 26X2,0 REFLECTIVE TAPE

SADDLE SELLE ROYAL ESSENZA ASTRALE BLACK COVER

LIGHT AXA BLUELINE 30 / TRELOCK LS611

COLOUR

30221455A 30221455B

## REPTILA 1000 NEXUS 8CD

CITY - URBAN E-BIKE



FRAME GEPIDA ALLOY HYDROFORM 28" W CITY  
GEARHUB DISC

FRAME SIZE 46, 49, 53, 57 CM

FORK SR SUNTOUR NEX DS 700C 63MM

WHEEL SIZE 28"

GEARS 8

ITEM NUMBER

**30221985**

REAR DERAILLEUR SHIMANO NEXUS 8

BRAKE SHIMANO BR-MT200

TYRE SCHWALBE ROAD CRUISER 700X40C REFLECTIVE TAPE

SADDLE SELLE ROYAL ESSENZA DRC ASTRALE BLACK COVER

LIGHT TRELOCK VEO 20 / TRELOCK LS611

COLOUR 30221985B

30221985A 30221985C

HEADSET: FSA NO.42B-1 | STEM: ZOOM TDS-C269 90MM ADJUSTABLE | HANDLEBAR: GEPIDA ALLOY NR-AL124 630MM BB: 31,8MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: SHIMANO BL-MT200 | REAR DISC: SHIMANO SM-RT10S 160MM | REAR SHIFTER: SHIMANO NEXUS 8 SL-C6000-8 REVOSHIFT | SEAT POST: KALLOY SP-509 TRAVEL: 40MM 30,9X300MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA STEEL 38T | CASSETTE: SHIMANO SM-GEAR19LU FOR INTERNAL HUB | CHAIN: KMC Z50 | CHAINGUARD: HESLING SUPORTIVE VER.2 38T | REAR RIM: RODI BLACKROCK 26" 559X21C 32H W/ SINGLE EYELET | FRONT HUB: FORMULA DC-20 32H QR | REAR HUB: SHIMANO NEXUS8 SG-C6001-8D 32H | REAR SPOKE: SAPIM STAINLESS STEEL 14G BLACK | CARRIER: GEPIDA ALLOY, W/SPRING CLAMP, WITH RACKTIME SNAPIT MOUNTING | MUDGUARD: SKS 26" USC ALUFLEX PET 53MM | BATTERY LOCK: ABUS POWERTUBE LOCK | PEDAL: XERAMA SP-811 W/ REFLECTOR | KICKSTAND: STANDWELL SW-RA032J, 18MM ADJUSTABLE

HEADSET: FSA TH-807ST | STEM: GEPIDA ALLOY MQ-565 EXT: 85/105MM | HANDLEBAR: GEPIDA STEEL NR-14 630MM BB: 25,4MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: SHIMANO BL-MT200 | REAR DISC: SHIMANO SM-RTC60S 160MM | REAR SHIFTER: SHIMANO NEXUS 8 SL-C6000-8 REVOSHIFT | SEAT POST: KALLOY SP-509 TRAVEL: 40MM 27,2X300MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA STEEL 38T | CHAIN: KMC Z50 | CHAINGUARD: HESLING SUPORTIVE VER.2 38T | REAR RIM: BERETTA DISC25 28" 622X19C 32H | FRONT HUB: FORMULA DC-20 32H QR | REAR HUB: SHIMANO NEXUS8 SG-C6001-8CD 32H | REAR SPOKE: SAPIM STAINLESS STEEL 14G | CARRIER: GEPIDA ALLOY FOR BOSCH RACKTYPE 28" W/ RACKTIME SNAPIT MOUNT | MUDGUARD: HEBIE RAINLINE SPEEDY TYPE 53MM 28" | PEDAL: XERAMA SP-807 W/ REFLECTOR | KICKSTAND: STANDWELL SW-RA032J, 18MM

## REPTILA 1000 NEXUS 7



400WH



△ FRAME GEPIDA ALLOY HYDROFORM 28" W CITY GEARHUB DISC

△ FRAME SIZE 46, 49, 53, 57 CM

-C FORK SR SUNTOUR NEX DS 700C 63MM

○ WHEEL SIZE 28"

△ GEARS 7

ITEM NUMBER

**30221905**

△ REAR DERAILLEUR SHIMANO NEXUS 7

♀ BRAKE SHIMANO BR-MT200

\*\*\* TYRE SCHWALBE ROAD CRUISER 700X40C REFLECTIVE TAPE

⇒ SADDLE SELLE ROYAL ESSENZA DRC ASTRALE BLACK COVER

✳ LIGHT TRELOCK VEO 20 / TRELOCK LS611

COLOUR 30221905B

30221905A 30221905C

## REPTILA 800 ALTUS 7



400WH

/ 500WH



△ FRAME GEPIDA ALLOY CITY W 28" DISC FOR RIGID FORK

△ FRAME SIZE 46, 49, 53, 57 CM

-C FORK GEPIDA STEEL DISC 28"

○ WHEEL SIZE 28"

△ GEARS 7

ITEM NUMBER

**30221395**

△ REAR DERAILLEUR SHIMANO ALTUS RD-M310 7-8S

♀ BRAKE SHIMANO MT200

\*\*\* TYRE SCHWALBE BIG APPLE 28X2,0 REFLECTIVE TAPE

⇒ SADDLE SELLE ROYAL ALPINE DCACTEX COVER

✳ LIGHT TRELOCK VEO 20 / TRELOCK LS611

COLOUR 30221365B

30221365A 30221365C

HEADSET: FSA TH-807ST | STEM: GEPIDA ALLOY MQ-565 EXT: 85/105MM | HANDLEBAR: GEPIDA STEEL NR-14 630MM BB: 25,4MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: SHIMANO BL-MT200 | REAR DISC: SHIMANO SM-RT10S 160MM | REAR SHIFTER: SHIMANO NEXUS 7 SL-C3000-7 REVOSHIFT | SEAT POST: KALLOY SP-509 TRAVEL: 40MM 27,2X300MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA STEEL 38T | CHAIN: KMC Z50 | CHAINGUARD: HESLING SUPORTIVE VER.2 38T | REAR RIM: BERETTA DISC25 28" 622X19C 32H | FRONT HUB: FORMULA DC-20 32H QR | REAR HUB: SHIMANO NEXUS7 SG-C3001-7D 32H | REAR SPOKE: SAPIM STAINLESS STEEL 14G BLACK | CARRIER: GEPIDA ALLOY FOR BOSCH RACKTYPE 28" W/ RACKTIME SNAPIT MOUNT | MUDGUARD: HEBIE RAINLINE SPEEDY TYPE 53MM 28" | PEDAL: XERAMA SP-807 W/ REFLECTOR | KICKSTAND: STANDWELL SW-RA032J, 18MM

HEADSET: FSA NO.11N | STEM: GEPIDA ALLOY AS601 EXT:90MM 15DEG | HANDLEBAR: GEPIDA STEEL MTB-155 640 MM BB: 25,4 MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: SHIMANO BL-MT200 | REAR DISC: SHIMANO ASM-RT10S 160MM | REAR SHIFTER: SHIMANO REVOSHIFT SL-RS357S | SEAT POST: GEPIDA ALLOY SP-C207 30,9X350 MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA STEEL 38T | CASSETTE: SHIMANO CS-HG200-7 12-32T 7S | CHAIN: KMC Z50 | CHAINGUARD: HESLING SUPORTIVE VER.2 38T | REAR RIM: BERETTA DISC25 28" 32H | FRONT HUB: FORMULA DC-20 32H QR | REAR HUB: FORMULA DC-22 32H QR | REAR SPOKE: SAPIM STAINLESS STEEL 14G BLACK | CARRIER: GEPIDA ALLOY, W/SPRING CLAMP, WITH RACKTIME SNAPIT MOUNTING | MUDGUARD: HEBIE RAINLINE SPEEDY TYPE 53MM 28" | PEDAL: XERAMA SP-807 W/ REFLECTOR | KICKSTAND: STANDWELL SW-RA031J, 40MM



## LEGIO PRO XT 10



|            |  |                 |                                       |
|------------|--|-----------------|---------------------------------------|
| FRAME      | GEPIDA ALLOY BOSCH GEN4 POWERTUBE URBAN DISC/DERRAILLEUR | REAR DERAILLEUR | SHIMANO XT RD-T8000 10S SHADOW DESIGN |
| FRAME SIZE | 17" 19" 21"  | BRAKE           | SHIMANO BR-MT500                      |
| FORK       | ALLOY RIGID URBAN FORK TPR STEERER QR15                  | TYRE            | SCHWALBE SUPER MOTO X 27,5X2,4"       |
| WHEEL SIZE | 27,5"  | SADDLE          | SELLE ROYAL ARCO ASTRALE BLACK COVER  |
| GEARS      | 10   | LIGHT           | LEZYNE MINI 65 / TRELOCK LS631        |

ITEM NUMBER

3022220




3022220A

HEADSET: FSA NO.42ACB SEALED | STEM: ZOOM TDS-C269 90MM ADJUSTABLE | HANDLEBAR: GEPIDA ALLOY HB-3188 720MM BB:31,8MM RISE:30MM | GRIP: VELO VLG-775-12D2 130MM+VLP171 | BRAKE LEVER: SHIMANO BL-MT500 | REAR DISC: SHIMANO SM-RT54S 160MM | REAR SHIFTER: SHIMANO DEORE SL-M4100 10S RAPIDFIRE PLUS | SEAT POST: KALLOY SP-DC1 30,9X400MM | CRANKARM: FSA CK-220 GEN4 170MM | CHAINWHEEL: FSA STEEL 38T | CASSETTE: SHIMANO DEORE CS-HG5010,11-36T | BOTTOM BRACKET: BOSCH PERFORMANCE LINE CX GEN4 | CHAIN: SHIMANO CN-HG54 | REAR RIM: RODI BLACKROCK 27,5" 584X21C 32H W/ SINGLE EYELET | FRONT HUB: SHIMANO DEORE HB-M6010 32H 15QR W/O LOCK RING | REAR HUB: SHIMANO DEORE FH-M6000 32H QR | REAR SPOKE: SAPIM STAINLESS STEEL 14G BLACK | CARRIER: SKS INFINITY GT3 MUDGUARD: SKS EVO AL 65MM | PEDAL: XERAMA SP-450 W/ REFLECTOR | KICKSTAND: STANDWELL SW-RA032J, 18MM ADJUSTABLE




# SPECIAL

We are pursuing novelties, and we are doing so to optimise the utilisation. This is how our special category was developed, which is the boundary between trekking and city bikes. Touring or cruising in the city, or transport on two wheels with green energy? These are all there in this category.



# MILIARE PRO BELT NEXUS 8




|  |  |
|--|--|
| <input checked="" type="checkbox"/> FRAME      | ALLOY BOSCH FOLDING W FRAME 20" POWERPIPE DISC/GEARHUB |
| <input checked="" type="checkbox"/> FRAME SIZE | 17"  |
| <input checked="" type="checkbox"/> FORK       | ALLOY FORK 20" DISC                                    |
| <input checked="" type="checkbox"/> WHEEL SIZE | 20"  |
| <input checked="" type="checkbox"/> GEARS      | 8  |
| ITEM NUMBER                                    | 30221520   |

|   |  |
|---|--|
| <input checked="" type="checkbox"/> REAR DERAILLEUR | SHIMANO NEXUS8                             |
| <input checked="" type="checkbox"/> BRAKE           | SHIMANO BR-MT200                           |
| <input checked="" type="checkbox"/> TYRE            | SCHWALBE BIG APPLE 20X2,15 REFLECTIVE TAPE |
| <input checked="" type="checkbox"/> SADDLE          | SELLE ROYAL HERZ CITY GEL W/ HANDLE        |
| <input checked="" type="checkbox"/> LIGHT           | LEZYNE MINI 65 / TRELOCK LS631             |
| COLOUR  |  |



HEADSET: FSA NO.11IN | STEM: ZOOM FOLDING STEM | HANDLEBAR: GEPIDA ALLOY MTB-AL155TP 640MM BB:25,4MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: SHIMANO BL-MT200 3FINGER | REAR DISC: SHIMANO SM-RT10S 160MM | REAR SHIFTER: SHIMANO NEXUS8 SL-C6000-8 REVOSHIFT | SEAT POST: KALLOY SP-DC1 30,9X400MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: GATES CDC 55T | CHAIN: GATES CDX 118T REAR RIM: RODI WEB DISC 20" 32H | FRONT HUB: FORMULA DC-20 32H QR | REAR HUB: SHIMANO NEXUS8 SG-C8001-8D 32H | REAR SPOKE: SAPIM STAINLESS STEEL 14G BLACK | CARRIER: GEPIDA ALLOY, W/SPRING CLAMP, WITH RACKTIME SNAPIT MOUNTING | MUDGUARD: SKS 20" USC ALUFLEX PET 53MM | BATTERY LOCK: ABUS PEDAL: VP F80 W/ REFLECTOR | KICKSTAND: STANDWELL SW-MA008 ADJUSTABLE

## MILIARE NEXUS 8



|  |   |
|--|---|
| <input checked="" type="checkbox"/> FRAME      | ALLOY BOSCH FOLDING W FRAME 20"<br>POWERTUBE DISC/GEARHUB |
| <input checked="" type="checkbox"/> FRAME SIZE | 17"   |
| <input checked="" type="checkbox"/> FORK       | ALLOY FORK 20" DISC                                       |
| <input checked="" type="checkbox"/> WHEEL SIZE | 20"   |
| <input checked="" type="checkbox"/> GEARS      | 8   |

ITEM NUMBER

30221510

|   |  |
|---|--|
| <input checked="" type="checkbox"/> REAR DERAILLEUR | SHIMANO NEXUS8                             |
| <input checked="" type="checkbox"/> BRAKE           | SHIMANO BR-MT200                           |
| <input checked="" type="checkbox"/> TYRE            | SCHWALBE BIG APPLE 20X2,15 REFLECTIVE TAPE |
| <input checked="" type="checkbox"/> SADDLE          | SELLE ROYAL HERZ CITY GEL W/ HANDLE        |
| <input checked="" type="checkbox"/> LIGHT           | LEZYNE MINI 65 / TRELOCK LS631             |
| COLOUR  |  |
|   | 30221510A                                  |
|   | 30221510B                                  |


HEADSET: FSA NO.11N | STEM: ZOOM FOLDING STEM | HANDLEBAR: GEPIDA ALLOY MTB-AL155TP 640MM BB:25,4MM | GRIP: VELO VLG-690AD2 BRAKE LEVER: SHIMANO BL-MT200 3FINGER | REAR DISC: SHIMANO SM-RT10S 160MM | REAR SHIFTER: SHIMANO NEXUS8 SL-C6000-8 REVOSHIFT | SEAT POST: KALLOY SP-DC130,9X400MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA STEEL 44T CHAIN: KMC Z50 | REAR RIM: RODI WEB DISC 20" 32H | FRONT HUB: FORMULA DC-20 32H QR | REAR HUB: SHIMANO NEXUS8 SG-C8001-8D 32H | REAR SPOKE: SAPIM STAINLESS STEEL 14G BLACK | CARRIER: GEPIDA ALLOY, W/SPRING CLAMP, WITH RACKTIME SNAPIT MOUNTING MUDGUARD: SKS 20" USC ALUFLEX PET 53MM | BATTERY LOCK: ABUS | PEDAL: XERAMA SP-151 W/ REFLECTOR | KICKSTAND: STANDWELL SW-MA008 ADJUSTABLE

## Urban Transport without compromises

With its clever folding frame and fully integrated battery, the Miliare gives you flexibility without compromising comfort or performance. Commuting on the train, or taking a road trip in the campervan, the Miliare is ultimate compact solution in personal mobility. Surprisingly light weight so folding and unfolding is easily done, while the optional Gates belt drive system allows clean and maintenance free operation.



## PUGIO NEXUS 8



☐ FRAME ALLOY BOSCH CITY W FRAME 20" POWERTUBE  
DISC/GEARHUB

☐ FRAME SIZE 17"

☐ FORK ALLOY FORK 20" DISC

☐ WHEEL SIZE 20"

☐ GEARS 8

ITEM NUMBER

**30221555**

☒ REAR DERAILLEUR SHIMANO NEXUS8

☒ BRAKE SHIMANO BR-MT200

☒ TYRE SCHWALBE BIG APPLE 20X2,15 REFLECTIVE TAPE

☒ SADDLE SELLE ROYAL ARCO ASTRALE BLACK COVER

☒ LIGHT AXA BLUELINE 30 / TRELOCK LS631

COLOUR




30221555A



30221555B

## PUGIO PRO BELT NEXUS 8



☐ FRAME ALLOY BOSCH CITY W FRAME 20" POWERTUBE  
DISC/GEARHUB

☐ FRAME SIZE 17"

☐ FORK ALLOY FORK 20" DISC

☐ WHEEL SIZE 20"

☐ GEARS 8

ITEM NUMBER

**30221565**

☒ REAR DERAILLEUR SHIMANO NEXUS8

☒ BRAKE SHIMANO BR-MT200

☒ TYRE SCHWALBE BIG APPLE 20X2,15 REFLECTIVE TAPE

☒ SADDLE SELLE ROYAL ARCO ASTRALE BLACK COVER

☒ LIGHT LEZYNE MINI 65 / TRELOCK LS631

COLOUR



30221565B

HEADSET: FSA NO.1IN | STEM: ZOOM TDS-C269 90MM ADJUSTABLE+SPEDSLIFTER TWIST | HANDLEBAR: CEPIDA ALLOY HB-3188 640MM BB:31,8MM RISE: 30MM | GRIP: VELO VLG-690AD2 | BRAKE LEVER: SHIMANO BL-MT200 3FINGER | REAR DISC: SHIMANO SM-RT10S 160MM | REAR SHIFTER: SHIMANO NEXUS8 SL-C6000-8 REVOSHIFT | SEAT POST: KALLOY SP-DC1 30,9X400MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA STEEL 44T BCD104 | CHAIN: KMC Z50 | REAR RIM: RODI WEB DISC 20" 32H FRONT HUB: FORMULA DC-20 32H QR | REAR HUB: SHIMANO NEXUS8 SG-C8001-8D 32H | REAR SPOKE: SAPIM STAINLESS STEEL 14G BLACK | CARRIER: CEPIDA ALLOY, W/SPRING CLAMP, WITH RACKTIME SNAPIT MOUNTING | MUDGUARD: SKS 20" USC ALUFLEX PET 53MM | BATTERY LOCK: ABUS | PEDAL: XERAMA SP-811 W/ REFLECTOR | KICKSTAND: STANDWELL SW-MA008 ADJUSTABLE

# CARGO CITY



|              |   |
|--------------|---|
| △ FRAME      | ALLOY MINI BOSCH CARGO FRAME 20" WHEEL<br>18" FRAME |
| △ FRAME SIZE | 18"   |
| -C FORK      | GEPIDA ALLOY 20" TPR DISC 15QR                      |
| ○ WHEEL SIZE | 20"   |
| ⌚ GEARS      |   |
| ITEM NUMBER  | 30222590  |

|                   |   |
|-------------------|---|
| ❖ REAR DERAILLEUR | ENVIOL TR   |
| ⌚ BRAKE           | SHIMANO MT420 4PISTON   |
| *** TYRE          | SCHWALBE SUPER MOTO-X PERF, GREENGUARD,<br>SNAKESKIN, 62-406, 20X2.40 |
| ➡ SADDLE          | SELLE ROYAL HERZ CITY GEL W/ HANDLE                                   |
| ⌚ LIGHT           | TRELOCK VEO 50 / TRELOCK LS611  |
| COLOUR            |   |
|                   | 30222590A   |

HEADSET: FSA NO.42B | STEM: KALLOY AS02135DEG EXT: 90MM BB: 31,8MM | HANDLEBAR: GEPIDA ALLOY HB-3188 640MM BB: 31,8MM RISE: 30MM | GRIP: VELO VLG-649AD2S +VLP-69-1 | BRAKE LEVER: SHIMANO MT401 3FINGER | REAR DISC: SHIMANO SM-RT26M 180MM | REAR SHIFTER: ENVIOL TWIST PURE | SEAT POST: ERGOTEC SKALAR 30,9X400MM | CRANKARM: FSA CK-200 170MM BOSCH GEN4 | CHAINWHEEL: FSA STEEL 44T BCD104 | CASSETTE: SPROCKET, 17 TOOTH, 2,2 MM / 2,2 MM, FLAT, NICKLE PLATED COG | CHAIN: KMC Z610 X-EPT | CHAINGUARD: HESLING SUPORTIVE VER.2 42-46T | REAR RIM: RODI WEB DISC 20" 36H | FRONT HUB: SHIMANO ALIVIO HB-MT400 BLACK 36H 15QR REAR HUB: ENVIOL TR CVP, 36 SPOKE, MATTE BLACK, DISC BRAKE | REAR SPOKE: SAPIM STAINLESS STEEL 13G | CARRIER: CARGO CARRIER FRONT ALLOY / CARRIER RAW ALLOY CARGO REAR MUDGUARD: SKS EVO AL 65MM 20" BLACK STAYS | BATTERY LOCK: ABUS | PEDAL: XERAMA SP-811 W/ REFLECTOR | KICKSTAND: HEBIE FOLDREX 608

GE032500




GE032510



GE032520



GE032530



## CASSIS 105



|              |                                    |
|--------------|------------------------------------|
| ▢ FRAME      | GEPIDA ALLOY HYDROFORM E-ROAD 700C |
| ▢ FRAME SIZE | 51, 54, 57 CM                      |
| -C FORK      | GEPIDA ALLOY DISC 700C             |
| ○ WHEEL SIZE | 28"                                |
| ⌚ GEAR       | 22                                 |

ITEM NUMBER

30220850

|                   |  |
|-------------------|--|
| ▢ REAR DERAILLEUR | SHIMANO 105 RD-R7000 11S SHADOW DESIGN |
| ♀ BRAKE           | SHIMANO 105 ST-R7020+BR-R7070          |
| *** TYRE          | SCHWALBE E-ONE EVO 28X700C ADDIX RACE  |
| ⇒ SADDLE          | SELLE ROYAL SUPRA ASTRALE BLACK COVER  |
| ⚡ LIGHT           |  |
| COLOUR            |  |
|                   | 30220850A                              |
|                   | 30220850B                              |

HEADSET: FSA NO.42B | STEM: ZOOM TDS-D507G | HANDLEBAR: GEPIDA ALLOY DR-AL210 BUTTED | GRIP: VELO VLT-079 | BRAKE LEVER: SHIMANO 105 ST-R7020+BR-R7070 | REAR DISC: SHIMANO SM-RT70S 160MM | REAR SHIFTER: SHIMANO 105 ST-R7020+BR-R7070 | FRONT SHIFTER LEVER: SHIMANO 105 ST-R7020+BR-R7070 | FRONT SHIFTER: SHIMANO 105 FD-R7000 | SEAT POST: GEPIDA ALLOY SP-226 27,2X400MM | CRANKARM: FSA CK-603 BAFANG | CHAINWHEEL: FSA 50/34T | CASSETTE: SHIMANO 105 CS-HG700 11S 11-34T | CHAIN: SHIMANO CN-HG600-11 | REAR RIM: SHIMANO WH-R171 | FRONT HUB: SHIMANO WH-R171 | REAR HUB: SHIMANO WH-R171 | BATTERY LOCK: BAFANG

## CASSIS GRAVEL GRX 400



|              |                               |
|--------------|-------------------------------|
| ▢ FRAME      | GEPIDA ALLOY HYDROFORM GRAVEL |
| ▢ FRAME SIZE | 51, 54, 57 CM                 |
| -C FORK      | GEPIDA ALLOY DISC 700C        |
| ○ WHEEL SIZE | 28"                           |
| ⌚ GEAR       | 20                            |
| ITEM NUMBER  |                               |
|              | 30220840                      |
| COLOUR       |                               |
|              | 30220840A                     |

HEADSET: FSA NO.42B | STEM: TRANZX JD-ST58A EXT:90MM BB:31,8MM 6DEG | HANDLEBAR: GEPIDA ALLOY DR-AL211 BUTTED FLARE 16DEG | GRIP: VELO VLT-079 | BRAKE LEVER: SHIMANO GRX ST-RX400+BR-RX400 | REAR DISC: SHIMANO SM-RT64S 160MM | FRONT SHIFTER LEVER: SHIMANO GRX ST-RX400+BR-RX400 | FRONT SHIFTER: SHIMANO GRX ST-RX400+BR-RX400 | FRONT DERAILLEUR: SHIMANO FD-RX400 | SEAT POST: KALLOY SP-DC1 27,2X300MM | CRANKARM: FSA CK-603 BAFANG | CHAINWHEEL: FSA 46/34T | CASSETTE: SHIMANO DEORE CS-HG500-10 11-34T | CHAIN: SHIMANO CN-HG54 | REAR RIM: RODI AIRLINE CORSA 32H 622X19C | FRONT HUB: SHIMANO HB-RS470 32H 12QR REAR HUB: SHIMANO FH-RS470 32H 12QR | REAR SPOKE: SAPIM STAINLESS STEEL 14G BLACK | BATTERY LOCK: BAFANG



TREKKING E-BIKE

# TREKKING

Our trekking e-bikes are designed to go thousands of kilometres with an engine specially designed for this. The essence of endurance and power; it delivers performance harmoniously, be it an uphill climb or a flat ride. Long distances can be covered thanks to the greater capacity batteries. There are no more limits, reach for the stars!



# ALBOIN PRO MAN XT 12

TREKKING E-BIKE




TREKKING E-BIKE

|             |  |
|-------------|--|
| FRAME       | ALLOY BOSCH TREKKING FRAME GEN4 28" POWERPIPE DISC MEN |
| FRAME SIZE  | 48, 52, 56 CM  |
| FORK        | SR SUNTOUR NEX-E25 DS 700C TPR 75MM QR15               |
| WHEEL SIZE  | 28"  |
| GEARS       | 12   |
| ITEM NUMBER | 30222280   |

|                 |  |
|-----------------|--|
| REAR DERAILLEUR | SHIMANO XT RD-M8100 12S SHADOW PLUS DESIGN |
| BRAKE           | SHIMANO DEORE BR-M6000                     |
| TYRE            | SCHWALBE ENERGIZER 50-622 REFLECTIVE TAPE  |
| SADDLE          | SELLE ROYAL ARIEL GEL ACTEX BLACK COVER    |
| LIGHT           | LEZYNE MINI 65 / TRELOCK LS611             |
| COLOUR          | 30222280A                                  |

HEADSET: FSA NO.42B | STEM: KALLOY AS031 | HANDLEBAR: GEPIDA ALLOY HB-3188 640MM BB:31,8MM RISE: 30MM | GRIP: VELO VLG-775-12D2 130MM+VLP171 | BRAKE LEVER: SHIMANO DEORE BL-T6000 | REAR DISC: SHIMANO SM-RT54S 160MM | REAR SHIFTER: SHIMANO DEORE SL-M6100 12S RAPIDFIRE PLUS SEAT POST: KALLOY SP-DC1 30,9X400MM | CRANKARM: FSA CK-745 GEN4 | DRIVE UNIT/BOTTOM BRACKET: BOSCH PERFORMANCE LINE CX GEN4 | CHAINWHEEL: FSA 38T STEEL, STEEL SPIDER CASSETTE: SHIMANO DEORE CS-M6100-12 10-51T 12S | CHAIN: SHIMANO DEORE CN-6100 12S | CHAINGUARD: HESLING SUPORTIVE V2 38T GEN4 | REAR RIM: RODI BLACKROCK 29" 622X21C 32H W/ SINGLE EYELET | FRONT HUB: SHIMANO DEORE HB-M6010 32H CL 100 THRU TYPE AXLE | REAR HUB: SHIMANO FH-MT510 32H 12QR 12S | REAR SPOKE: SAPIM STAINLESS STEEL 14G BLACK | CARRIER: GEPIDA ALLOY, W/SPRING CLAMP, WITH RACKTIME SNAPIT MOUNTING | MUDGUARD: SKS 28" USC ALUFLEX PET 53MM | PEDAL: XERAMA SP-811 W/ REFLECTOR | KICKSTAND: STANDWELL SW-RA032J, 18MM ADJUSTABLE

## ALBOIN PRO TR XT 12



△ FRAME ALLOY BOSCH TREKKING FRAME GEN4 28" POWER TUBE DISC TRAPEZ

△ FRAME SIZE 44, 48, 52 CM

-C FORK SR SUNTOUR NEX-E25 DS 700C TPR 75MM QR15

○ WHEEL SIZE 28"

⌚ GEARS 12

ITEM NUMBER

**30222286**

❖ REAR DERAILLEUR SHIMANO XT RD-M8100 12S SHADOW PLUS DESIGN

♀ BRAKE SHIMANO DEORE BR-M6000

\*\*\* TYRE SCHWALBE ENERGIZER 50-622 REFLECTIVE TAPE

⇒ SADDLE SELLE ROYAL ARIEL GEL ACTEX BLACK COVER

⚡ LIGHT LEZYNE MINI 65 / TRELOCK LS611

COLOUR



30222286A

HEADSET: FSA NO.42B | STEM: KALLOY AS031 | HANDLEBAR: GEPIDA ALLOY HB-3188 640MM BB:31,8MM RISE: 30MM | GRIP: VELO VLG-775-12D2 130MM+VLP171 | BRAKE LEVER: SHIMANO DEORE BL-T6000 | REAR DISC: SHIMANO SM-RT545160MM | REAR SHIFTER: SHIMANO DEORE SL-M6100 12S RAPIDFIRE PLUS | SEAT POST: KALLOY SP-DC1 30,9X400MM | CRANKARM: FSA CK-745 GEN4 | CHAINWHEEL: FSA 38T STEEL, STEEL SPIDER | DRIVE UNIT/BOTTOM BRACKET: BOSCH PERFORMANCE LINE CX GEN4 CASSETTE: SHIMANO DEORE CS-M6100-12-10-5T 12S | CHAIN: SHIMANO DEORE CN-6100 12S | CHAINGUARD: HESLING SUPORTIVE V2 38T GEN4 | REAR RIM: RODI BLACKROCK 29" 622X21C 32H W/ SINGLE EYELET | FRONT HUB: SHIMANO DEORE HB-M6100 32H CL 100 THRU TYPE AXLE | REAR HUB: SHIMANO FH-MT510 32H 12QR 12S | REAR SPOKE: SAPIM STAINLESS STEEL 14G BLACK | CARRIER: GEPIDA ALLOY, W/SPRING CLAMP, WITH RACKTIME SNAPIT MOUNTING | MUDGUARD: SKS 28" USC ALUFLEX PET 53MM | PEDAL: XERAMA SP-811 W/ REFLECTOR | KICKSTAND: STANDWELL SW-RA032J, 18MM ADJUSTABLE

## FASTIDA PRO MAN XT 12



△ FRAME ALLOY BOSCH TREKKING FRAME GEN4 28" POWER TUBE DISC

△ FRAME SIZE 48, 52, 56 CM

-C FORK SR SUNTOUR XCM32 LO 28" 80MM 15QL32

○ WHEEL SIZE 28"

⌚ GEARS 12

ITEM NUMBER

**30212270**

❖ REAR DERAILLEUR SHIMANO XT RD-M8100 12S SHADOW PLUS DESIGN

♀ BRAKE MAGURA MT-4

\*\*\* TYRE SCHWALBE ENERGIZER 50-622 REFLECTIVE TAPE

⇒ SADDLE SELLE ROYAL ARIEL GEL HRC/DRC ACTEX BLACK COVER

⚡ LIGHT SPANNINGA AXENDO100 S W/HORN/SPANNINGA FLEXIO SP

COLOUR



30212270A

HEADSET: FSA NO.42B-1 | STEM: KALLOY AS031 | HANDLEBAR: GEPIDA ALLOY HB-3188 640MM BB:31,8MM RISE: 30MM | GRIP: VELO VLG-649AD2S +VLP-69-1 | BRAKE LEVER: MAGURA MT-4 | REAR DISC: MAGURA STORM 180MM | REAR SHIFTER: SHIMANO DEORE SL-M6100 12S RAPIDFIRE PLUS | SEAT POST: KALLOY SP-DC1 30,9X400MM | CRANKARM: FSA CK-745 GEN4 170MM | CHAINWHEEL: FSA 44T STEEL, STEEL SPIDER | CASSETTE: SHIMANO DEORE CS-M6100-12-10-5T 12S | BOTTOM BRACKET: BOSCH PERFORMANCE LINE SPEED GEN4 | CHAIN: SHIMANO DEORE CN-M6100 12S | REAR RIM: RODI BLACKROCK 29" 622X21C 32H W/ SINGLE EYELET | FRONT HUB: SHIMANO DEORE HB-M6100 32H CL 100 THRU TYPE AXLE | REAR HUB: SHIMANO FH-MT510 32H 12QR 12S | REAR SPOKE: SAPIM STAINLESS STEEL 13G BLACK | CARRIER: GEPIDA ALLOY, W/SPRING CLAMP, WITH RACKTIME SNAPIT MOUNTING | MUDGUARD: SKS 28" USC ALUFLEX PET 53MM | PEDAL: XERAMA SP-811 W/ REFLECTOR | KICKSTAND: PLETCHER 45KM COMP ARA 18MM

## ALBOIN CURVE MAN XT 10



△ FRAME ALLOY BOSCH TREKKING FRAME GEN3 28"  
POWERPIPE DISC M

△ FRAME SIZE 48, 52, 56 CM

← FORK SR SUNTOUR NEX-E25 DS 700C 75MM

○ WHEEL SIZE 28"

⟳ GEAR 10

ITEM NUMBER

**30222240**

△ REAR DERAILLEUR SHIMANO XT RD-T8000 10S SHADOW DESIGN

♀ BRAKE SHIMANO DEORE MT410

\*\*\* TYRE SCHWALBE ENERGIZER 50-622 REFLECTIVE TAPE

⇒ SADDLE SELLE ROYAL ARIEL GEL ACTEX BLACK COVER

⟲ LIGHT TRELOCK VEO 50 / TRELOCK LS611

COLOUR



30222240A



30222240B

HEADSET: FSA NO.42B-1 | STEM: GEPIDA ALLOY TDS-299N EXT: 105MM BB: 31,8MM ADJUSTABLE | HANDLEBAR: GEPIDA ALLOY HB-3188 640MM BB:31,8MM RISE: 30MM | GRIP: VELO VLC-775-12D2 130MM+VLP171 | BRAKE LEVER: SHIMANO DEORE MT401 3FINGER | REAR DISC: SHIMANO SM-RT56S 160MM | REAR SHIFTER: SHIMANO DEORE SL-M4100 10S RAPIDFIRE PLUS | SEAT POST: KALLOY SP-DC130,9X400MM | CRANKARM: FSA CK-602 175MM BOSCH GEN3 | CHAINWHEEL: FSA 38T STEEL, STEEL SPIDER CASSETTE: SHIMANO DEORE CS-HG50-10 11-36T | CHAIN: SHIMANO CN-HG54 | CHAINGUARD: HESLING SUPORTIVE VER.2 38T | REAR RIM: RODI BLACKROCK 29" 622X21C 32H W/ SINGLE EYELET | FRONT HUB: FORMULA DC-20LW 32H QR | REAR HUB: FORMULA DC-22W 32H QR | REAR SPOKE: SAPIM STAINLESS STEEL 14G BLACK | CARRIER: GEPIDA ALLOY, W/SPRING CLAMP, WITH RACKTIME SNAPIT MOUNTING | MUDGUARD: SKS 28" USC ALUFLEX PET 53MM | PEDAL: XERAMA SP-811 W/ REFLECTOR | KICKSTAND: STANDWELL SW-RA032J, 18MM ADJUSTABLE

## ALBOIN CURVE TR XT 10



△ FRAME ALLOY BOSCH TREKKING FRAME GEN3 28"  
POWERPIPE DISC L

△ FRAME SIZE 44, 48, 52 CM

← FORK SR SUNTOUR NEX-E25 DS 700C 75MM

○ WHEEL SIZE 28"

⟳ GEAR 10

ITEM NUMBER

**30222246**

△ REAR DERAILLEUR SHIMANO XT RD-T8000 10S SHADOW DESIGN

♀ BRAKE SHIMANO DEORE MT410

\*\*\* TYRE SCHWALBE ENERGIZER 50-622 REFLECTIVE TAPE

⇒ SADDLE SELLE ROYAL ARIEL GEL ACTEX BLACK COVER

⟲ LIGHT TRELOCK VEO 50 / TRELOCK LS611

COLOUR




30222246A



30222246B

HEADSET: FSA NO.42B-1 | STEM: GEPIDA ALLOY TDS-299N EXT: 105MM BB: 31,8MM ADJUSTABLE | HANDLEBAR: GEPIDA ALLOY HB-3188 640MM BB:31,8MM RISE: 30MM | GRIP: VELO VLC-775-12D2 130MM+VLP171 | BRAKE LEVER: SHIMANO DEORE MT401 3FINGER | REAR DISC: SHIMANO SM-RT56S 160MM | REAR SHIFTER: SHIMANO DEORE SL-M4100 10S RAPIDFIRE PLUS | SEAT POST: KALLOY SP-DC130,9X400MM | CRANKARM: FSA CK-602 175MM BOSCH GEN3 | CHAINWHEEL: FSA 38T STEEL, STEEL SPIDER CASSETTE: SHIMANO DEORE CS-HG50-10 11-36T | CHAIN: SHIMANO CN-HG54 | CHAINGUARD: HESLING SUPORTIVE VER.2 38T | REAR RIM: RODI BLACKROCK 29" 622X21C 32H W/ SINGLE EYELET | FRONT HUB: FORMULA DC-20LW 32H QR | REAR HUB: FORMULA DC-22W 32H QR | REAR SPOKE: SAPIM STAINLESS STEEL 14G BLACK | CARRIER: GEPIDA ALLOY, W/SPRING CLAMP, WITH RACKTIME SNAPIT MOUNTING | MUDGUARD: SKS 28" USC ALUFLEX PET 53MM | PEDAL: XERAMA SP-811 W/ REFLECTOR | KICKSTAND: STANDWELL SW-RA031J, 40MM

## ALBOIN MAN ALIVIO 9



|              |  |
|--------------|--|
| △ FRAME      | GEPIDA ALLOY HYDROFORM 28" TREKKING DISC M |
| △ FRAME SIZE | 48, 52, 56 CM                              |
| -C FORK      | SR SUNTOUR NEX DS 700C 63MM                |
| ○ WHEEL SIZE | 28"  |
| ⌚ GEARS      | 9  |

ITEM NUMBER  
**30221290**

|                   |   |
|-------------------|---|
| ✖ REAR DERAILLEUR | SHIMANO ALIVIO RD-M3100 9S SHADOW DESIGN  |
| ♀ BRAKE           | TEKTRO HD-T275                            |
| *** TYRE          | WTB/FREEDOM WEDGE 47X700C REFLECTIVE TAPE |
| ⇒ SADDLE          | SELLE ROYAL ALPINE HC ACTEX COVER         |
| ⌚ LIGHT           | TRELOCK VEO 20 / TRELOCK LS611            |
| COLOUR            |   |
|                   | 30221290A                                 |
|                   | 30221290B                                 |

HEADSET: FSA NO.1IN | STEM: GEPIDA ALLOY TDS-299N EXT: 105MM BB: 31,8MM ADJUSTABLE | HANDLEBAR: GEPIDA ALLOY HB-3188 640MM BB:31,8MM RISE: 30MM | GRIP: VELO VLC-690AD2 | BRAKE LEVER: TEKTRO HD-T275 | REAR DISC: 160MM | REAR SHIFTER: SHIMANO ALIVIO SL-M3100 9S RAPIDFIRE PLUS | SEAT POST: GEPIDA ALLOY SP-C207 27,2X300MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA STEEL 38T | CASSETTE: SHIMANO CS-HG200-9 11-34T | CHAIN: SHIMANO CN-HG53 | REAR RIM: BERETTA DISC25 28" 32H SINGLE EYELET | FRONT HUB: FORMULA DC-20 32H QR | REAR HUB: FORMULA DC-22 32H QR | REAR SPOKE: SAPIM STAINLESS STEEL 14G BLACK | CARRIER: GEPIDA ALLOY, W/SPRING CLAMP, WITH RACKTIME SNAPIT MOUNTING | MUDGUARD: SKS 28" USC ALUFLEX PET 53MM | PEDAL: XERAMA SP-450 W/ REFLECTOR KICKSTAND: STANDWELL SW-RA032J, 18MM

## ALBOIN TR ALIVIO 9



|                 |  |
|-----------------|--|
| △ FRAME         | GEPIDA ALLOY HYDROFORM 28" TREKKING DISC L |
| △ FRAME SIZE    | 44, 48, 52 CM                              |
| -C FORK         | SR SUNTOUR NEX DS 700C 63MM                |
| ○ WHEEL SIZE    | 28"  |
| ⌚ GEARS         | 9  |
| ITEM NUMBER     |  |
| <b>30221296</b> |  |
| COLOUR          |  |
|                 | 30221296A                                  |
|                 | 30221296B                                  |

HEADSET: FSA NO.1IN | STEM: GEPIDA ALLOY TDS-299N EXT: 105MM BB: 31,8MM ADJUSTABLE | HANDLEBAR: GEPIDA ALLOY HB-3188 640MM BB:31,8MM RISE: 30MM | GRIP: VELO VLC-690AD2 | BRAKE LEVER: TEKTRO HD-T275 | REAR DISC: 160MM | REAR SHIFTER: SHIMANO ALIVIO SL-M3100 9S RAPIDFIRE PLUS | SEAT POST: GEPIDA ALLOY SP-C207 27,2X300MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA STEEL 38T | CASSETTE: SHIMANO CS-HG200-9 11-34T | CHAIN: SHIMANO CN-HG53 CHAINGUARD: HESLING SUPORTIVE VER.238T | REAR RIM: BERETTA DISC25 28" 32H SINGLE EYELET | FRONT HUB: FORMULA DC-20 32H QR | REAR HUB: FORMULA DC-22 32H QR | REAR SPOKE: SAPIM STAINLESS STEEL 14G BLACK | CARRIER: GEPIDA ALLOY, W/SPRING CLAMP, WITH RACKTIME SNAPIT MOUNTING | MUDGUARD: SKS 28" USC ALUFLEX PET 53MM PEDAL: XERAMA SP-450 W/ REFLECTOR KICKSTAND: STANDWELL SW-RA032J, 18MM

# THORIS VOYAGE XT 11

TREKKING E-BIKE



TREKKING E-BIKE

|             |                                      |
|-------------|--------------------------------------|
| FRAME       | GEPIDA ALLOY 28" TANDEM              |
| FRAME SIZE  | 53/44 CM                             |
| FORK        | SR SUNTOUR XCR AIR LOR 29" 80MM 15QR |
| WHEEL SIZE  | 28"                                  |
| GEARS       | 11                                   |
| ITEM NUMBER | 30222600                             |

|                 |  |
|-----------------|--|
| REAR DERAILLEUR |  |
| BRAKE           | SHIMANO BR-MT500 / SHIMANO BR-MT500+BR-T4000   |
| TYRE            | SCHWALBE ENERGIZER PLUS 50-622 REFLECTIVE TAPE |
| SADDLE          | SELLE ROYAL ARIEL ACTEX BLACK COVER            |
| LIGHT           | LEZYNE MINI 65 / TRELOCK LS611                 |
| COLOUR          |  |
|                 | 30222600A                                      |


HEADSET: FSA NO.11N | STEM: GEPIDA ALLOY TDS-299N EXT: 105MM BB: 31,8MM ADJUSTABLE | HANDLEBAR: GEPIDA ALLOY HB-3188 720MM /JD-TR23AL  
 640MM BB: 31,8MM | GRIP: VELO VLG-1185D3 | BRAKE LEVER: SHIMANO BL-MT500+BL+T4010 | REAR DISC: SHIMANO SM-RT54M 180MM | REAR SHIFTER:  
 SHIMANO DEORE SL-M5100 11S RAPIDFIRE PLUS | SEAT POST: KALLOY SP-DC127,2X300MM | CRANKARM: FSA CK-745/IS170MM BOSCH GEN4 | CHAINWHEEL:  
 FSA STEEL 38T BCD104 / SHIMANO ALIVIO | CASSETTE: SHIMANO XT RD-M8000 11S SHADOW PLUS DESIGN CHAIN: SHIMANO CN-HG54 | REAR RIM: RODI  
 AIRLINE1 28" 32H | FRONT HUB: SHIMANO HB-MT400 32H 15QR | REAR HUB: SHIMANO FH-MT400 32H 12QR | REAR SPOKE: SAPIM STAINLESS STEEL 13G |  
 CARRIER: GEPIDA ALLOY, W/SPRING CLAMP, WITH RACKTIME SNAPIT MOUNTING | MUDGUARD: SKS 28" USC ALUFLEX PET 53MM | BATTERY LOCK: ABUS |  
 PEDAL: XERAMA SP-811 W/ CATEYE | KICKSTAND: URUS KING 28"




MTB E-BIKE

# MTB

"The torquey Bosch engines combined with the performance of the cyclist provide an inimitable experience of mountain biking: you can pedal up rough terrains in a sporty yet convenient manner and reach heights you haven't been before, or have, but with great effort."



# ASGARD PRO XT12



|             |   |
|-------------|---|
| FRAME       | GEPIDA ALLOY BOSCH MTB FRAME GEN4 29"<br>POWERTUBE DISC |
| FRAME SIZE  | 15" 17" 19" 21"   |
| FORK        | ROCKSHOX 35 SILVER TK BOOST 29" 120MM                   |
| WHEEL SIZE  | 29"   |
| GEARS       | 12  |
| ITEM NUMBER | 30222060  |

|                 |  |
|-----------------|--|
| REAR DERAILLEUR | SHIMANO XT RD-M8100 12S SHADOW PLUS DESIGN |
| BRAKE           | SHIMANO DEORE BR-M6100                     |
| TYRE            | SCHWALBE NOBBY NIC TLE 29X2,35" 60-622     |
| SADDLE          | SELLER ROYAL SETA S1 ACTEX BLACK COVER     |
| LIGHT           |  |
| COLOUR          |  |
|                 | 30222060A                                  |

HEADSET: FSA NO.42B STEM: KALLOY AS031 HANDLEBAR: GEPIDA ALLOY HB-3018DBFT 720MM BB:31,8MM FLAT TOP GRIP: VELO VLG-775-12D2  
130MM+VLP171 BRAKE LEVER: SHIMANO DEORE BL-M6100 REAR DISC: SHIMANO SM-RT54M 180MM REAR SHIFTER: SHIMANO DEORE SL-M6100 12S  
RAPIDFIRE PLUS SEAT POST: GEPIDA ALLOY SP-226 30,9X400MM CRANKARM: FSA CK-745 GEN4 CHAINWHEEL: FSA 38T STEEL, STEEL SPIDER CASSETTE:  
SHIMANO DEORE CS-M6100-12 10-51T 12S CHAIN: SHIMANO DEORE CN-M6100 12S REAR RIM: RODI TRYPI25 29" 622X25C 32H W/ SINGLE EYELET FRONT  
HUB: SHIMANO HB-MT410BB 32H 15QR BOOST REAR HUB: SHIMANO FH-MT410BB 32H 12QR BOOST REAR SPOKE: SAPIM STAINLESS STEEL 14G BLACK  
PEDAL: XERAMA SP-610 W/ REFLECTOR BATTERY LOCK: ABUS

## RUGA PRO DEORE 12



|              |  |
|--------------|--|
| △ FRAME      | ALLOY BOSCH MTB FRAME GEN4 29" POWER TUBE DISC |
| △ FRAME SIZE | 15" 17" 19" 21"                                |
| -C FORK      | SR SUNTOUR XCR 32 BOOST COIL RLR 29" 100MM TPR |
| ○ WHEEL SIZE | 29"  |
| ⌚ GEAR       | 12   |

ITEM NUMBER  
**30222030**

|                   |   |
|-------------------|---|
| ❖ REAR DERAILLEUR | SHIMANO DEORE RD-M6100 12S SHADOW PLUS DESIGN |
| ♀ BRAKE           | SHIMANO BR-MT410                              |
| *** TYRE          | SCHWALBE SMART SAM K-GUARD 29X2,35" 60-622    |
| ➡ SADDLE          | SELLE ROYAL SETA S1 ACTEX BLACK COVER         |
| ⚡ LIGHT           |   |
| COLOUR            |   |
|                   | 30222060A                                     |
|                   | 30222060B                                     |

HEADSET: FSA NO.42B | STEM: KALLOY AS031 | HANDLEBAR: GEPIDA ALLOY HB-3018DBFT 720MM BB:31,8MM FLAT TOP | GRIP: VELO VLG-775-12D2 130MM+VLP171 | BRAKE LEVER: SHIMANO MT-401 | REAR DISC: SHIMANO SM-RT54M 180MM | REAR SHIFTER: SHIMANO DEORE SL-M6100 12S RAPIDFIRE PLUS | SEAT POST: KALLOY SP-DC1 30,9X400MM | CRANKARM: FSA CK-200 BOSCH GEN4 | CHAINWHEEL: FSA 38T STEEL, STEEL SPIDER | CASSETTE: SHIMANO DEORE CS-M6100-12 10-5T 12S | CHAIN: SHIMANO DEORE CN-M6100 12S | REAR RIM: RODI TRY25 29" 622X25C 32H W/ SINGLE EYELET | FRONT HUB: SHIMANO HB-MT410BB 32H 15QR BOOST | REAR HUB: SHIMANO FH-MT410BB 32H 12QR BOOST | REAR SPOKE: SAPIM STAINLESS STEEL 14G BLACK | PEDAL: XERAMA SP-610 W/ REFLECTOR

## SIRMIUM PRO DEORE 10




|              |   |
|--------------|---|
| △ FRAME      | GEPIDA ALLOY HYDROFORM MTB 29" BOSCH GEN4 |
| △ FRAME SIZE | 15" 17" 19" 21"                           |
| -C FORK      | SR SUNTOUR XCR 32 COIL LO 29" 100MM TPR   |
| ○ WHEEL SIZE | 29"                                       |
| ⌚ GEAR       | 10  |
| ITEM NUMBER  |   |
|              | <b>30222040</b>                           |
| COLOUR       |   |
|              | 30222040A                                 |
|              | 30222040B                                 |

HEADSET: FSA NO.42B | STEM: KALLOY AS031 | HANDLEBAR: GEPIDA ALLOY HB-3018DBFT 720MM BB:31,8MM FLAT TOP | GRIP: VELO VLG-775-12D2 130MM+VLP171 | BRAKE LEVER: SHIMANO BL-MT200 | REAR DISC: SHIMANO SM-RT26S 160MM | REAR SHIFTER: SHIMANO DEORE SL-M4100 10S RAPIDFIRE PLUS | SEAT POST: KALLOY SP-DC1 30,9X400MM | CRANKARM: FSA CK-200 BOSCH GEN4 | CHAINWHEEL: FSA STEEL 34T BCD104 | CASSETTE: SHIMANO DEORE CS-M4100-10 11-42T 10S | CHAIN: SHIMANO CN-HG54 | REAR RIM: RODI BLACKROCK23 29" 622X23C 32H W/ SINGLE EYELET | FRONT HUB: FORMULA DC-20 32H QR | REAR HUB: FORMULA DC-22 32H | REAR SPOKE: SAPIM STAINLESS STEEL 14G BLACK | PEDAL: XERAMA SP-610 W/ REFLECTOR



# SUV

Our bikes in the SUV category are designed to provide a versatile experience, be easy to control and to handle rougher terrain, giving maximum comfort. All this, combined with Bosch drive unit, results durable and reliable bikes that make every trip an unrepeatable experience.



# RUGA PRO TOUR DEORE 12



|              |  |
|--------------|--|
| △ FRAME      | ALLOY BOSCH MTB FRAME GEN4 29" POWERTUBE DISC  |
| △ FRAME SIZE | 15" 17" 19" 21"                                |
| -C FORK      | SR SUNTOUR XCR 32 BOOST COIL RLR 29" 100MM TPR |
| ○ WHEEL SIZE | 29"  |
| ● GEAR       | 12   |
| ITEM NUMBER  | 30222070                                       |

|                   |   |
|-------------------|---|
| ❖ FRAME           | ALLOY BOSCH MTB FRAME GEN4 29" POWERTUBE DISC |
| △ REAR DERAILLEUR | SHIMANO DEORE RD-M6100 12S SHADOW PLUS DESIGN |
| ⌚ BRAKE           | SHIMANO BR-MT410                              |
| ❖ TYRE            | SCHWALBE SMART SAM K-GUARD 29X2,35" 60-622    |
| ➡ SADDLE          | SELLE ROYAL SETA SI ACTEX BLACK COVER         |
| 💡 LIGHT           | TRELOCK VEO 50 / TRELOCK LS631                |
| COLOUR            | 30222070A      30222070B                      |

HEADSET: FSA NO.42B | STEM: KALLOY AS031 | HANDLEBAR: GEPIDA ALLOY HB-3018DBFT 720MM BB:31,8MM FLAT TOP | GRIP: VELO VLG-775-12D2 130MM+VLP171 | BRAKE LEVER: SHIMANO MT-401 | REAR DISC: SHIMANO SM-RT54M 180MM REAR SHIFTER: SHIMANO DEORE SL-M6100 12S RAPIDFIRE PLUS | SEAT POST: KALLOY SP-DC1 30,9X400MM | CRANKARM: FSA CK-200 BOSCH GEN4 CHAINWHEEL: FSA 38T STEEL, STEEL SPIDER | CASSETTE: SHIMANO DEORE CS-M6100-12 10-51T 12S CHAIN: SHIMANO DEORE CN-M6100 12S | REAR RIM: RODI TRYPC25 29" 622X25C 32H W/ SINGLE EYELET FRONT HUB: SHIMANO HB-MT400-B, CL 32H, 15MM THRU TYPE AXLE | REAR HUB: SHIMANO FH-MT410BB 32H 12QR BOOST | REAR SPOKE: SAPIM STAINLESS STEEL 14G BLACK CARRIER: SKS INFINITY GT3 | MUDGUARD: SKS EVO AL 29" 65MM | PEDAL: XERAMA SP-610 W/ REFLECTOR | KICKSTAND: STANDWELL RA-032J18MM

## RUGA PRO TOUR DEORE 12



|  |  |
|--|--|
| <input checked="" type="checkbox"/> FRAME      | ALLOY BOSCH MTB W FRAME GEN4 27,5" POWER-TUBE DISC |
| <input checked="" type="checkbox"/> FRAME SIZE | 15" 17" 19" 21"                                    |
| <input checked="" type="checkbox"/> FORK       | SR SUNTOUR XCR 32 BOOST COIL RLR 27,5" 100MM TPR   |
| <input checked="" type="checkbox"/> WHEEL SIZE | 27,5"  |
| <input checked="" type="checkbox"/> GEARS      | 12   |
| ITEM NUMBER                                    | <b>30222085</b>                                    |

|  |  |   |   |           |
|--|--|---|---|-----------|
| <input checked="" type="checkbox"/> FRAME      | ALLOY BOSCH MTB W FRAME GEN4 27,5" POWER-TUBE DISC | <input checked="" type="checkbox"/> REAR DERAILLEUR | SHIMANO DEORE RD-M6100 12S SHADOW PLUS DESIGN |           |
| <input checked="" type="checkbox"/> FRAME SIZE | 15" 17" 19" 21"                                    | <input checked="" type="checkbox"/> BRAKE           | SHIMANO BR-MT410                              |           |
| <input checked="" type="checkbox"/> FORK       | SR SUNTOUR XCR 32 BOOST COIL RLR 27,5" 100MM TPR   | <input checked="" type="checkbox"/> TYRE            | SCHWALBE SMART SAM K-GUARD 27,5X2,35" 60-584  |           |
| <input checked="" type="checkbox"/> WHEEL SIZE | 27,5"  | <input checked="" type="checkbox"/> SADDLE          | SELLE ROYAL SETA SI ACTEX BLACK COVER         |           |
| <input checked="" type="checkbox"/> GEARS      | 12   | <input checked="" type="checkbox"/> LIGHT           | TRELOCK VEO 50 / TRELOCK LS631                |           |
| ITEM NUMBER                                    | <b>30222085</b>                                    | COLOUR  |   |           |
|  |  |   | 30222085A                                     |           |
|  |  |   |   | 30222085B |

HEADSET: FSA NO.42B STEM: KALLOY AS031 HANDLEBAR: GEPIDA ALLOY HB-3018DBFT 720MM BB:31,8MM FLAT TOP GRIP: VELO VLG-775-12D2130MM+VLP171 BRAKE LEVER: SHIMANO MT-401 REAR DISC: SHIMANO SM-RT54M 180MM REAR SHIFTER: SHIMANO DEORE SL-M6100 12S RAPIDFIRE PLUS SEAT POST: KALLOY SP-DC1 30,9X400MM CRANKARM: FSA CK-200 BOSCH GEN4 CHAINWHEEL: FSA 38T STEEL, STEEL SPIDER CASSETTE: SHIMANO DEORE CS-M6100-12-10-51T12S CHAIN: SHIMANO DEORE CN-M6100 12S REAR RIM: RODI TRY25 29" 584X25C 32H W/ SINGLE EYELET FRONT HUB: SHIMANO HB-MT400-B, CL 32H, 15MM THRU TYPE AXLE REAR HUB: SHIMANO FH-MT410BB 32H 120R BOOST REAR SPOKE: SAPIM STAINLESS STEEL 14G BLACK CARRIER: SKS INFINITY GT3 MUDGUARD: SKS EVO AL 27,5" 65MM PEDAL: XERAMA SP-610 W/ REFLECTOR KICKSTAND: STANDWELL RA-032J 18MM



We believe that the bikes we offer will be companions and they become part of the life of a cyclist, be it everyday commuting to work or a memorable trip with family, friends. +

## BERIG W DEORE 10



Δ FRAME GEPIDA ALLOY ATB W 27,5" POWERTUBE

Δ FRAME SIZE 17" 19" 21"

↳ FORK SR SUNTOUR XCM-ATB HLO 27,5" 100MM

○ WHEEL SIZE 27,5"

⟳ GEARS 10

ITEM NUMBER

**30222545**

↳ REAR DERAILLEUR SHIMANO DEORE RD-M4120 SHADOW DESIGN

♀ BRAKE SHIMANO BR-MT200

\*\*\* TYRE SCHWALBE SMART SAM 27,5X2,25 57-584


⇒ SADDLE SELLE ROYAL ESSENZA ASTRALE BLACK COVER

✳ LIGHT AXA BLUELINE 30 / TRELOCK LS631

COLOUR



30222545A



30222545B

HEADSET: FSA NO.11Q | STEM: KALLOY AS031 | HANDLEBAR: GEPIDA ALLOY HB-3188 720MM BB:31,8MM RISE: 30MM | GRIP: VELO VLG-775-12D2 130MM+VLP171 | BRAKE LEVER: SHIMANO BL-MT200 | REAR DISC: SHIMANO SM-RT26S 160MM | REAR SHIFTER: SHIMANO DEORE SL-M4100-10 RAPIDFIRE PLUS | SEAT POST: KALLOY SP-DC1 30,9X400MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA STEEL 38T W/ BASHGUARD | CASSETTE: SHIMANO DEORE CS-M4100 11-42T | CHAIN: SHIMANO CN-HG54 | REAR RIM: RODI BLACKROCK 27,5" 584X21C 32H W/ SINGLE EYELET | FRONT HUB: FORMULA DC-20 32H QR | REAR HUB: FORMULA DC-22 32H QR | REAR SPOKE: SAPIM STAINLESS STEEL 14G BLACK | CARRIER: SKS INFINITY GT3 | MUDGUARD: SKS USC ALUFLEX PET 65MM | PEDAL: XERAMA SP-450 W/ REFLECTOR | KICKSTAND: STANDWELL SW-RA032J, 18MM

## BERIG MAN DEORE 10



Δ FRAME GEPIDA ALLOY HYDROFORMING ATB 29"

Δ FRAME SIZE 17" 19" 21"

↳ FORK SR SUNTOUR XCM-ATB HLO 29" 100MM

○ WHEEL SIZE 29"

⟳ GEARS 10

ITEM NUMBER

**30222580**

↳ REAR DERAILLEUR SHIMANO DEORE RD-M4120 SHADOW DESIGN

♀ BRAKE SHIMANO BR-MT200

\*\*\* TYRE SCHWALBE SMART SAM 57-622 29X2,25

⇒ SADDLE SELLE ROYAL ESSENZA ASTRALE BLACK COVER

✳ LIGHT AXA BLUELINE 30 / TRELOCK LS631

COLOUR



30222580A



30222580B

HEADSET: FSA NO.42B-1 | STEM: KALLOY AS031 | HANDLEBAR: GEPIDA ALLOY HB-3188 720MM BB:31,8MM RISE: 30MM | GRIP: VELO VLG-775-12D2 130MM+VLP171 | BRAKE LEVER: SHIMANO BL-MT200 | REAR DISC: SHIMANO SM-RT26S 160MM | REAR SHIFTER: SHIMANO DEORE SL-M4100-10 RAPIDFIRE PLUS | SEAT POST: KALLOY SP-DC1 30,9X400MM | CRANKARM: FSA CK-200 170MM | CHAINWHEEL: FSA STEEL 38T W/ BASHGUARD | CASSETTE: SHIMANO DEORE CS-M4100 11-42T | CHAIN: SHIMANO CN-HG54 | REAR RIM: RODI BLACKROCK 29" 622X21C 32H W/ SINGLE EYELET | FRONT HUB: FORMULA DC-2032H QR | REAR HUB: FORMULA DC-2232H QR | REAR SPOKE: SAPIM STAINLESS STEEL 14G BLACK | CARRIER: GEPIDA ALLOY | MUDGUARD: SKS USC ALUFLEX PET 65MM | PEDAL: XERAMA SP-450 W/ REFLECTOR | KICKSTAND: STANDWELL SW-RA032J, 18MM





## ALBOIN 900 28" M 30S



|             |  |
|-------------|--|
| FRAME       | GEPIDA ALLOY HYDROFORM 28" TREKKING DISC   |
| FRAME SIZE  | 48, 52, 56, 60 CM  |
| FORK        | SR SUNTOUR NCX-D LO DS 700C 63MM   |
| WHEEL SIZE  | 28"  |
| GEARS       | 30   |
| ITEM NUMBER | 30220390   |
| COLOUR      | SHIMANO XT RD-T8000 10S SHADOW DESIGN<br>SHIMANO BR-MT400<br>SCHWALBE MARATHON PLUS SMARTGUARD 47-622 REFLECTIVE TAPE<br>SELLE ROYAL ARIEL GEL HRC/DRC ACTEX BLACK COVER<br>AXA PICO 30 SWITCH W/ STANDLIGHT / TRELOCK LS613 W/ STANDLIGHT |



30220390A

HEADSET: FSA NO.11N STEM: GEPIDA ALLOY TDS-299N ADJUSTABLE EXT:105MM HANDLEBAR: GEPIDA ALLOY MTB-155 640MM BB: 25,4MM GRIP: VELO VLC-649AD2S +VLP-69-1 BRAKE LEVER: SHIMANO MT-401 REAR DISC: SHIMANO SM-RT26S 160MM FRONT REAR SHIFTER: SHIMANO DEORE SL-T6000 3S / SHIMANO DEORE SL-T6000 10S RAPIDFIRE PLUS SEAT POST: KALLOY SP-509 TRAVEL: 40MM 27,2X300MM CRANKARM: SHIMANO DEORE FC-T551 48/36/26 BOTTOM BRACKET: SHIMANO DEORE SM-BB52 CHAINWHEEL: SHIMANO DEORE FC-T551 48/36/26 CHAIN: SHIMANO CN-HG54 REAR RIM: RODI BLACKROCK 29" 622X21C 32H W/ SINGLE EYELET FRONT HUB: SHIMANO HUB DYNAMO DH-3D37 32H QR CENTERLOCK REAR HUB: FORMULA DC-22 32H QR REAR SPOKE: SAPIM STAINLESS STEEL 14G BLACK CARRIER: MASSLOAD CL550 28" MUDGUARD: SKS 28" USC ALUFLEX PET 53MM PEDAL: XERAMA SP-811 W/ REFLECTOR KICKSTAND: STANDWELL SW-MA008 ADJUSTABLE

## ALBOIN 500 28" M 27S



|              |  |
|--------------|--|
| △ FRAME      | GEPIDA ALLOY HYDROFORM 28" TREKKING DISC |
| △ FRAME SIZE | 48, 52, 56, 60 CM                        |
| ← FORK       | SR SUNTOUR NEX HLO DS 700C 63MM          |
| ○ WHEEL SIZE | 28"                                      |
| ⌚ GEARS      | 27                                       |

ITEM NUMBER

**30220350**

|                   |   |
|-------------------|---|
| ❖ REAR DERAILLEUR | SHIMANO ALIVIO RD-M3100SGS SHADOW DESIGN            |
| ⌚ BRAKE           | SHIMANO BR-MT200                                    |
| *** TYRE          | SCHWALBE DELTA CRUISER PLUS 700X47C REFLECTIVE TAPE |
| ➡ SADDLE          | SELLE ROYAL ARIEL HRC ACTEX BLACK COVER             |
| ⚡ LIGHT           | AXA PICO 15 SWITCH / TRELOCK LS613 W/ STANDLIGHT    |

COLOUR



30220350A

HEADSET: FSA NO.11N STEM: GEPIDA ALLOY TDS-299N ADJUSTABLE EXT: 105MM HANDLEBAR: GEPIDA ALLOY MTB-155 640MM BB: 25,4MM GRIP: VELO VLC-519A BRAKE LEVER: SHIMANO BL-MT201 REAR DISC: SHIMANO SM-RT26S 160MM FRONT SHIFTER: SHIMANO ALIVIO SL-M3100 3S / SHIMANO ALIVIO SL-M3100 9S RAPIDFIRE PLUS SEAT POST: KALLOY SP-509 TRAVEL: 40MM 27,2X300MM CRANKARM: PROWHEEL MP-751T DRIVE UNIT/BOTTOM BRACKET: PROWHEEL BSA INTEGRATED CHAINWHEEL: PROWHEEL 48-36-26 CASSETTE: SHIMANO CS-HG201 9S 11-32T CHAIN: SHIMANO CN-HG53 REAR RIM: RODI BLACKROCK 29" 622X21C 32H W/ SINGLE EYELET FRONT HUB: SHIMANO HUB DYNAMO DH-3D37 32H QR CENTERLOCK REAR HUB: FORMULA DC-22 32H QR REAR SPOKE: SAPIM STAINLESS STEEL 14G BLACK CARRIER: MASSLOAD CL550 28" MUDGUARD: SKS 28" USC ALUFLEX PET 53MM PEDAL: XERAMA SP-811 W/ REFLECTOR KICKSTAND: STANDWELL SW-MA008 ADJUSTABLE

## ALBOIN 500 28" L 27S



|              |  |
|--------------|--|
| △ FRAME      | GEPIDA ALLOY HYDROFORM 28" TREKKING DISC |
| △ FRAME SIZE | 44, 48, 52 CM                            |
| ← FORK       | SR SUNTOUR NEX HLO DS 700C 63MM          |
| ○ WHEEL SIZE | 28"                                      |
| ⌚ GEARS      | 27                                       |

ITEM NUMBER

**30220356**

|                   |   |
|-------------------|---|
| ❖ REAR DERAILLEUR | SHIMANO ALIVIO RD-M3100SGS SHADOW DESIGN            |
| ⌚ BRAKE           | SHIMANO BR-MT200                                    |
| *** TYRE          | SCHWALBE DELTA CRUISER PLUS 700X47C REFLECTIVE TAPE |
| ➡ SADDLE          | SELLE ROYAL ARIEL HRC ACTEX BLACK COVER             |
| ⚡ LIGHT           | AXA PICO 15 SWITCH / TRELOCK LS613 W/ STANDLIGHT    |

COLOUR



30220356A

HEADSET: FSA NO.11N STEM: GEPIDA ALLOY TDS-299N ADJUSTABLE EXT: 105MM HANDLEBAR: GEPIDA ALLOY MTB-155 640MM BB: 25,4MM GRIP: VELO VLC-519A BRAKE LEVER: SHIMANO BL-MT201 REAR DISC: SHIMANO SM-RT26S 160MM FRONT SHIFTER: SHIMANO ALIVIO SL-M3100 3S / SHIMANO ALIVIO SL-M3100 9S RAPIDFIRE PLUS SEAT POST: KALLOY SP-509 TRAVEL: 40MM 27,2X300MM CRANKARM: PROWHEEL MP-751T DRIVE UNIT/BOTTOM BRACKET: PROWHEEL BSA INTEGRATED CHAINWHEEL: PROWHEEL 48-36-26 CASSETTE: SHIMANO CS-HG201 9S 11-32T CHAIN: SHIMANO CN-HG53 REAR RIM: RODI BLACKROCK 29" 622X21C 32H W/ SINGLE EYELET FRONT HUB: SHIMANO HUB DYNAMO DH-3D37 32H QR CENTERLOCK REAR HUB: FORMULA DC-22 32H QR REAR SPOKE: SAPIM STAINLESS STEEL 14G BLACK CARRIER: MASSLOAD CL550 28" MUDGUARD: SKS 28" USC ALUFLEX PET 53MM PEDAL: XERAMA SP-811 W/ REFLECTOR KICKSTAND: STANDWELL SW-MA008 ADJUSTABLE

## ALBOIN 300 PRO 28" M 27S



Δ FRAME GEPIDA ALLOY TREKKING 28" DISC

Δ FRAME SIZE 48, 52, 56, 60 CM

← FORK SR SUNTOUR NEX HLO DS 700C 63MM

○ WHEEL SIZE 28"

⌚ GEARS 27

ITEM NUMBER

30220340

∅ REAR DERAILLEUR SHIMANO ALIVIO RD-M3100SGS SHADOW DESIGN

∅ BRAKE SHIMANO BR-MT200

\*\*\* TYRE WTB/FREEDOM WEDGE 47X700C REFLECTIVE TAPE

⇒ SADDLE SELLE ROYAL ALPINE ACTEX COVER

⚡ LIGHT BÜCHELUNILED15W SWITCH/TRELOCKLS613W STANDLIGHT

COLOUR



30220340A

## ALBOIN 300 28" M 24S



Δ FRAME GEPIDA ALLOY TREKKING 28"

Δ FRAME SIZE 48, 52, 56, 60 CM

← FORK SR SUNTOUR CR8V HLO P 700C 50MM

○ WHEEL SIZE 28"

⌚ GEARS 24

ITEM NUMBER

30220330

∅ REAR DERAILLEUR SHIMANO ALIVIO RD-M3100SGS SHADOW DESIGN

∅ BRAKE SHIMANO ALIVIO BR-T4000

\*\*\* TYRE WTB/FREEDOM WEDGE 38X700C REFLECTIVE TAPE

⇒ SADDLE SELLE ROYAL ALPINE ACTEX COVER

⚡ LIGHT BÜCHELUNILED15W SWITCH/TRELOCKLS613W STANDLIGHT

COLOUR



30220330A



30220330B

HEADSET: FSA NO.11Q STEM: GEPIDA ALLOY TDS-299N ADJUSTABLE EXT: 105MM HANDLEBAR: GEPIDA ALLOY MTB-155 640MM BB: 25,4MM GRIP: VELO VLG-519A BRAKE LEVER: SHIMANO BL-MT200 REAR DISC: SHIMANO SM-RT265 160MM FRONT SHIFTER: SHIMANO ALIVIO SL-M3100 3S / SHIMANO ALIVIO SL-M3100 9S RAPIDFIRE PLUS SEAT POST: KALLOY SP-509 TRAVEL: 40MM 27,2X300MM CRANKARM: PROWHEEL ZEPHYR-701 DRIVE UNIT/BOTTOM BRACKET: FSA BB-7240ST 68/113MM CHAINWHEEL: PROWHEEL 48-36-26 CASSETTE: SHIMANO ACERA CS-HG200-9 11-34T CHAIN: SHIMANO CN-HG53 REAR RIM: BERETTA DISC25 28" 32H SINGLE EYELET FRONT HUB: SHIMANO HUB DYNAMO DH-3D32 32H QR REAR HUB: FORMULA DC-22 32H QR REAR SPOKE: SAPIM STEEL 14G BLACK CARRIER: MASSLOAD CL550 28" MUDGUARD: HEBIE RAINLINE SPEEDY TYPE 53MM 28" PEDAL: XERAMA SP-450 W/ REFLECTOR KICKSTAND: STANDWELL SW-MA008 ADJUSTABLE

HEADSET: FSA NO.11Q STEM: GEPIDA ALLOY TDS-299N ADJUSTABLE EXT: 105MM HANDLEBAR: GEPIDA ALLOY MTB-155 640MM BB: 25,4MM GRIP: VELO VLG-519A BRAKE LEVER: SHIMANO ALTUS ST-EF500 4FINGER FRONT SHIFTER: SHIMANO ALTUS ST-EF500 4FINGER REAR SHIFTER: SHIMANO ALTUS ST-EF500 8S 4FINGER SEAT POST: KALLOY SP-509 TRAVEL: 40MM 27,2X300MM CRANKARM: PROWHEEL TV-CN90 DRIVE UNIT/BOTTOM BRACKET: SHIMANO BB-UN101 CHAINWHEEL: PROWHEEL 48-38-28 CASSETTE: SHIMANO ALTUS CS-HG21-8 11-32T CHAIN: KMC Z8 REAR RIM: RODI SKORPION 28" 622X19C 32H FRONT HUB: SHIMANO HUB DYNAMO DH-C3000 32H REAR HUB: FORMULA FM-32 32H QR REAR SPOKE: SAPIM STEEL 14G BLACK CARRIER: MASSLOAD CL550 28" MUDGUARD: HEBIE RAINLINE SPEEDY TYPE 53MM 28" PEDAL: XERAMA SP-450 W/ REFLECTOR KICKSTAND: STANDWELL SW-MA008 ADJUSTABLE

## ALBOIN 300 28" W 24S



△ FRAME GEPIDA ALLOY TREKKING 28"

△ FRAME SIZE 45, 50, 55 CM

← FORK SR SUNTOUR CR8V HLO P 700C 50MM

○ WHEEL SIZE 28"

✳ GEAR 24

ITEM NUMBER

**30220335**

△ REAR DERAILLEUR SHIMANO ALIVIO RD-M3100SGS SHADOW DESIGN

♀ BRAKE SHIMANO ALIVIO BR-T4000

\*\*\* TYRE WTB/FREEDOM WEDGE 38X700C REFLECTIVE TAPE

→ SADDLE SELLE ROYAL ALPINE ACTEX COVER

✳ LIGHT BÜCHELUNILED15WSWITCH/TRELOCKLS613W STANDLIGHT

COLOUR

30220335A 30220335B

## ALBOIN 300 28" L 24S



△ FRAME GEPIDA ALLOY TREKKING 28"

△ FRAME SIZE 44, 48, 52 CM

← FORK SR SUNTOUR CR8V HLO P 700C 50MM

○ WHEEL SIZE 28"

✳ GEAR 24

ITEM NUMBER

**30220336**

△ REAR DERAILLEUR SHIMANO ALIVIO RD-M3100SGS SHADOW DESIGN

♀ BRAKE SHIMANO ALIVIO BR-T4000

\*\*\* TYRE WTB/FREEDOM WEDGE 38X700C REFLECTIVE TAPE

→ SADDLE SELLE ROYAL ALPINE ACTEX COVER

✳ LIGHT BÜCHELUNILED15WSWITCH/TRELOCKLS613W STANDLIGHT

COLOUR

30220336 30220336B

HEADSET: FSA NO.11Q STEM: GEPIDA ALLOY TDS-299N ADJUSTABLE EXT: 105MM HANDLEBAR: GEPIDA ALLOY MTB-155 640MM BB: 25,4MM GRIP: VELO VLG-519A BRAKE LEVER: SHIMANO ALTUS ST-EF500 4FINGER FRONT SHIFTER: SHIMANO ALTUS ST-EF500 4FINGER/SHIMANO ALTUS ST-EF500 8S 4FINGER SEAT POST: KALLOY SP-509 TRAVEL: 40MM 27,2X300MM CRANKARM: PROWHEEL TY-CN90 CHAINWHEEL: PROWHEEL 48-38-28 DRIVE UNIT/BOTTOM BRACKET: SHIMANO BB-UN101 CASSETTE: SHIMANO ALTUS CS-HG31-8 11-32T CHAIN: KMC Z72 REAR RIM: RODI SKORPION 28" 622X19C 32H FRONT HUB: SHIMANO HUB DYNAMO DH-C3000 32H REAR HUB: FORMULA FM-32 32H QR REAR SPOKE: SAPIM STEEL 14G BLACK CARRIER: MASSLOAD CL550 28" MUDGUARD: HEBIE RAINLINE SPEEDY TYPE 53MM 28" PEDAL: XERAMA SP-450 W/ REFLECTOR KICKSTAND: STANDWELL SW-MA008 ADJUSTABLE

## ALBOIN 200 PRO 28" M 21



△ FRAME GEPIDA ALLOY TREKKING 28"

△ FRAME SIZE 48, 52, 56 CM

← FORK SR SUNTOUR M3010 P 700C 40MM

○ WHEEL SIZE 28"

⌚ GEARS 21

ITEM NUMBER

30220320

❖ REAR DERAILLEUR SHIMANO ALTUS RD-M370SGS

♀ BRAKE PROMAX TX-117

\*\*\* TYRE WTB/FREEDOM WEDGE 38X700C

⇒ SADDLE SELLE ROYAL ALPINE ACTEX COVER

⌚ LIGHT BÜCHEL UNILED15W SWITCH/TRELOCK LS613W STANDLIGHT

COLOUR

30220320A 
 30220320B

## ALBOIN 200 PRO 28" L 21



△ FRAME GEPIDA ALLOY TREKKING 28"

△ FRAME SIZE 44, 48, 52 CM

← FORK SR SUNTOUR M3010 P 700C 40MM

○ WHEEL SIZE 28"

⌚ GEARS 21

ITEM NUMBER

30220326

❖ REAR DERAILLEUR SHIMANO ALTUS RD-M370SGS

♀ BRAKE PROMAX TX-117

\*\*\* TYRE WTB/FREEDOM WEDGE 38X700C

⇒ SADDLE SELLE ROYAL ALPINE ACTEX COVER

⌚ LIGHT BÜCHEL UNILED15W SWITCH/TRELOCK LS613W STANDLIGHT

COLOUR

30220326A 
 30220326B

HEADSET: FSA TH-807ST STEM: GEPIDA ALLOY MQ417 EXT: 80 BB: 25,4MM HANDLEBAR: GEPIDA STEEL MTB-155 640MM BB: 25,4MM GRIP: Velo VLC-519A BRAKE LEVER: SHIMANO ST-EF41 FRONT SHIFTER: SHIMANO ST-EF41 SEAT POST: GEPIDA ALLOY SP-C207 27,2X300MM CRANKARM: PROWHEEL TY-CN02 DRIVE UNIT/BOTTOM BRACKET: SHIMANO BB-UNI01 CHAINWHEEL: PROWHEEL 48-38-28 CASSETTE: SHIMANO MF-TZ500-7 14-28T CHAIN: KMC Z50 REAR RIM: BERETTA MT-240 28" 36H FRONT HUB: SHIMANO DYNAMO HUB DH-C3000 36H REAR HUB: FORMULA FM-3136H REAR SPOKE: SAPIM STEEL 14G CARRIER: GEPIDA STEEL 28" MUDGUARD: HEBIE RAINLINE SPEEDY TYPE 53MM 28" PEDAL: XERAMA SP872N W/ REFLECTOR KICKSTAND: STANDWELL SW-MA011 ADJUSTABLE

## ALBOIN 200 28" M 21S



|                                     |                           |
|-------------------------------------|---------------------------|
| <input type="checkbox"/> FRAME      | GEPIDA ALLOY TREKKING 28" |
| <input type="checkbox"/> FRAME SIZE | 48, 52, 56 CM             |
| <input type="checkbox"/> FORK       | ZOOM ENJOY 123E 700C 40MM |
| <input type="checkbox"/> WHEEL SIZE | 28"                       |
| <input type="checkbox"/> GEARS      | 21                        |

ITEM NUMBER  
**30220310**

|  |   |
|--|---|
| <input type="checkbox"/> REAR DERAILLEUR | SHIMANO TOURNEY RD-TY300                          |
| <input type="checkbox"/> BRAKE           | PROMAX TX-117                                     |
| <input type="checkbox"/> TYRE            | WTB/FREEDOM SCORCHER 38X700C                      |
| <input type="checkbox"/> SADDLE          | SELLE ROYAL ALPINE ACTEX COVER                    |
| <input type="checkbox"/> LIGHT           | BÜCHEL UNILED15W SWITCH/TRELOCK LS613W STANDLIGHT |
| COLOUR                                   | 30220310A       30220310B                         |

HEADSET: FSA TH-807ST STEM: GEPIDA ALLOY MQ417 EXT: 80 BB: 25,4MM HANDLEBAR: GEPIDA STEEL MTB-155 640MM BB: 25,4MM GRIP: VELO VLG-207 BRAKE LEVER: SHIMANO ST-EF41 FRONT SHIFTER: SHIMANO ST-EF41 SEAT POST: GEPIDA ALLOY SP-C207 27,2X300MM CRANKARM: PROWHEEL ALLOY 48/38/28 DRIVE UNIT/BOTTOM BRACKET: SHIMANO BB-UN101 CHAINWHEEL: PROWHEEL 48/38/28 CASSETTE: SHIMANO MF-TZ500-714-28T CHAIN: KMC Z50 REAR RIM: BERETTA MT-240 28" 36H FRONT HUB: SHIMANO DYNAMO HUB DH-C3000 36H REAR HUB: FORMULA FM-31 36H REAR SPOKE: SAPIM STEEL 14G CARRIER: GEPIDA STEEL 28" MUDGUARD: HEBIE RAINLINE SPEEDY TYPE 53MM 28" PEDAL: XERAMA SP872N W/ REFLECTOR KICKSTAND: STANDWELL SW-MA011 ADJUSTABLE

## ALBOIN 200 28" L 21S



|                                     |   |
|-------------------------------------|---|
| <input type="checkbox"/> FRAME      | GEPIDA ALLOY TREKKING 28"                 |
| <input type="checkbox"/> FRAME SIZE | 44, 48, 52 CM                             |
| <input type="checkbox"/> FORK       | ZOOM ENJOY 123E 700C 40MM                 |
| <input type="checkbox"/> WHEEL SIZE | 28"                                       |
| <input type="checkbox"/> GEARS      | 21  |
| ITEM NUMBER                         | <b>30220316</b>                           |
| COLOUR                              | 30220316A       30220316B       30220316C |

HEADSET: FSA TH-807ST STEM: GEPIDA ALLOY MQ417 EXT: 80 BB: 25,4MM HANDLEBAR: GEPIDA STEEL MTB-155 640MM BB: 25,4MM GRIP: VELO VLG-207 BRAKE LEVER: SHIMANO ST-EF41 FRONT SHIFTER: SHIMANO ST-EF41 SEAT POST: GEPIDA ALLOY SP-C207 27,2X300MM CRANKARM: PROWHEEL ALLOY 48/38/28 DRIVE UNIT/BOTTOM BRACKET: SHIMANO BB-UN101 CHAINWHEEL: PROWHEEL ALLOY 48/38/28 CASSETTE: SHIMANO MF-TZ500-714-28T CHAIN: KMC Z50 REAR RIM: BERETTA MT-240 28" 36H FRONT HUB: SHIMANO DYNAMO HUB DH-C3000 36H REAR HUB: FORMULA FM-31 36H REAR SPOKE: SAPIM STEEL 14G CARRIER: GEPIDA STEEL 28" MUDGUARD: HEBIE RAINLINE SPEEDY TYPE 53MM 28" PEDAL: XERAMA SP872N W/ REFLECTOR KICKSTAND: STANDWELL SW-MA011 ADJUSTABLE



## ALBOIN 900 CRS 28" M 30S



|             |            |  |           |                 |   |
|-------------|------------|--|-----------|-----------------|---|
|             | FRAME      | GEPIDA ALLOY HYDROFORM 28" TREKKING DISC |           | REAR DERAILLEUR | SHIMANO XT RD-T8000 10S SHADOW DESIGN       |
|             | FRAME SIZE | 48, 52, 56, 60 CM                        |           | BRAKE           | SHIMANO BR-MT410                            |
|             | FORK       | SR SUNTOUR NCX-D LO DS 700C 63MM         |           | TYRE            | SCHWALBE SMART SAM 40-622                   |
|             | WHEEL SIZE | 28"                                      |           | SADDLE          | SELLE ROYAL DARDO HRC GEL ACTEX BLACK COVER |
|             | GEARS      | 30                                       |           | LIGHT           |   |
| ITEM NUMBER |            |  | COLOUR    |                 |   |
| 30220290    |            |  |           |                 |   |
|             |            |  | 30220290A |                 |   |

HEADSET: FSA NO.11N | STEM: TRANZX JD-ST58A EXT:90MM BB:31,8MM 6DEG | HANDLEBAR: GEPIDA ALLOY MTB-AL118 600MM BB:31,8MM | GRIP: VELO VLG-1185D3 | BRAKE LEVER: SHIMANO MT-401 | REAR DISC: SHIMANO SM-RT26S 160MM | FRONT SHIFTER: SHIMANO DEORE SL-T6000 3S RAPIDFIRE PLUS | REAR SHIFTER: SHIMANO DEORE SL-T6000 10S RAPIDFIRE PLUS | SEAT POST: GEPIDA ALLOY SP-226 27,2X400MM | CRANKARM: SHIMANO DEORE FC-T551 48/36/26 | DRIVE UNIT/BOTTOM BRACKET: SHIMANO DEORE SM-BB52 | CHAINWHEEL: SHIMANO DEORE FC-T551 48/36/26 | CASSETTE: SHIMANO DEORE CS-HG500-10 11-34T | CHAIN: SHIMANO CN-HG54 | REAR RIM: RODI BLACKROCK 29" 622X21C 32H W/ SINGLE EYELET | FRONT HUB: FORMULA DC-20 32H QR | REAR HUB: FORMULA DC-22 32H QR | REAR SPOKE: SAPIM STAINLESS STEEL 14G BLACK | PEDAL: XERAMA SP-610 W/ REFLECTOR | KICKSTAND: STANDWELL SW-MA008 ADJUSTABLE

## ALBOIN 500 CRS 28" M 27S



|              |  |
|--------------|--|
| △ FRAME      | GEPIDA ALLOY HYDROFORM 28" TREKKING DISC |
| △ FRAME SIZE | 48, 52, 56, 60 CM                        |
| ← FORK       | SR SUNTOUR NEX HLO DS 700C 63MM          |
| ○ WHEEL SIZE | 28"                                      |
| ⚙ GEAR       | 27                                       |

ITEM NUMBER

**30220250**

|                   |  |
|-------------------|--|
| ❖ REAR DERAILLEUR | SHIMANO ALIVIO RD-M3100 9S SHADOW DESIGN |
| ♀ BRAKE           | SHIMANO BR-MT200                         |
| *** TYRE          | SCHWALBE CX COMP 700X38C                 |
| → SADDLE          | SELLE ROYAL DARDO HRC ACTEX BLACK COVER  |
| ⚡ LIGHT           |  |

COLOUR



30220250A

HEADSET: FSA NO.11N STEM: TRANZX JD-ST58A EXT:90MM BB:31,8MM 6DEG HANDLEBAR: GEPIDA ALLOY MTB-ALT18 600MM BB: 31,8MM GRIP: VELO VLG-1185D3 BRAKE LEVER: SHIMANO BL-MT201 REAR DISC: SHIMANO SM-RT26S 160MM FRONT SHIFTER: SHIMANO ALIVIO SL-M3100 3S RAPIDFIRE PLUS SEAT POST: GEPIDA ALLOY SP-226 27,2X400MM CRANKARM: PROWHEEL MP-751 DRIVE UNIT/BOTTOM BRACKET: PROWHEEL BSA INTEGRATED CHAINWHEEL: PROWHEEL 48-36-26 CASSETTE: SHIMANO CS-HG201 9S 11-32T CHAIN: SHIMANO CN-HG53 REAR RIM: RODI BLACKROCK 29" 622X21C 32H W/ SINGLE EYELET FRONT HUB: FORMULA DC-20 32H QR REAR HUB: FORMULA DC-22 32H QR REAR SPOKE: SAPIM STAINLESS STEEL 14G BLACK PEDAL: XERAMA SP-610 W/ REFLECTOR KICKSTAND: STANDWELL SW-MA008 ADJUSTABLE

## ALBOIN 300 CRS 28" M 24S



|              |                                 |
|--------------|---------------------------------|
| △ FRAME      | GEPIDA ALLOY TREKKING 28"       |
| △ FRAME SIZE | 48, 52, 56, 60 CM               |
| ← FORK       | SR SUNTOUR CR8V HLO P 700C 50MM |
| ○ WHEEL SIZE | 28"                             |
| ⚙ GEAR       | 24                              |

ITEM NUMBER

**30220230**

|                   |  |
|-------------------|--|
| ❖ REAR DERAILLEUR | SHIMANO ALIVIO RD-M3100 9S SHADOW DESIGN |
| ♀ BRAKE           | SHIMANO ALIVIO BR-T4000                  |
| *** TYRE          | WTB/FREEDOM WEDGE 38X700C                |
| → SADDLE          | SELLE ROYAL ALPINE ACTEX COVER           |
| ⚡ LIGHT           |  |

COLOUR



30220250A



30220230B

HEADSET: FSA NO.11Q STEM: KALLOY ASDC1 BB: 31,8MM HANDLEBAR: GEPIDA ALLOY MTB-ALT18 600MM BB: 31,8MM GRIP: VELO VLG-1185D3 BRAKE LEVER: SHIMANO ALTUS ST-EF500 2FINGER FRONT SHIFTER: SHIMANO ALTUS ST-EF500 2FINGER REAR SHIFTER: SHIMANO ALTUS ST-EF500 8S 2FINGER SEAT POST: GEPIDA ALLOY SP-C207 27,2X300MM CRANKARM: PROWHEEL TY-CN02 DRIVE UNIT/BOTTOM BRACKET: SHIMANO DEORE SM-BB52 CHAINWHEEL: PROWHEEL 48-38-28 CASSETTE: SHIMANO ALTUS CS-HG31-8 11-32T CHAIN: KMC Z8 REAR RIM: RODI SKORPION 28" 622X19C 32H FRONT HUB: FORMULA FM-21 32H QR REAR HUB: FORMULA RB30 32H QR REAR SPOKE: SAPIM STEEL 14G BLACK PEDAL: XERAMA SP-450 W/ REFLECTOR KICKSTAND: STANDWELL SW-MA008 ADJUSTABLE

## ALBOIN 300 CRS 28" L 24S



|            |                                 |
|------------|---------------------------------|
| FRAME      | GEPIDA ALLOY TREKKING 28"       |
| FRAME SIZE | 44, 48, 52 CM                   |
| FORK       | SR SUNTOUR CR8V HLO P 700C 50MM |
| WHEEL SIZE | 28"                             |
| GEARS      | 24                              |

ITEM NUMBER  
**30220236**

|                 |  |
|-----------------|--|
| REAR DERAILLEUR | SHIMANO ALIVIO RD-M3100 9S SHADOW DESIGN |
| BRAKE           | SHIMANO ALIVIO BR-T4000                  |
| TYRE            | WTB/FREEDOM WEDGE 38X700C                |
| SADDLE          | SELLE ROYAL ALPINE ACTEX COVER           |
| LIGHT           |  |

|        |  |
|--------|--|
| COLOUR |  |
|        |  |

30220236A

HEADSET: FSA NO.11Q STEM: KALLOY ASDC1 BB: 31,8MM HANDLEBAR: GEPIDA ALLOY MTB-ALT18 600MM BB: 31,8MM GRIP: VELO VLG-1185D3 BRAKE LEVER: SHIMANO ALTUS ST-EF500 2FINGER FRONT SHIFTER: SHIMANO ALTUS ST-EF500 2FINGER REAR SHIFTER: SHIMANO ALTUS ST-EF500 8S 2FINGER SEAT POST: GEPIDA ALLOY SP-C207 27,2X300MM CRANKARM: PROWHEEL TY-CN02 DRIVE UNIT/BOTTOM BRACKET: SHIMANO DEORE SM-BB52 CHAINWHEEL: PROWHEEL 48-38-28 CASSETTE: SHIMANO ALTUS CS-HG31-8 11-32T CHAIN: KMC Z8 REAR RIM: RODI SKORPION 28" 622X19C 32H FRONT HUB: FORMULA FM-2132H QR REAR HUB: FORMULA RB30 32H QR REAR SPOKE: SAPIM STEEL 14G BLACK PEDAL: XERAMA SP-450 W/ REFLECTOR KICKSTAND: STANDWELL SW-MA008 ADJUSTABLE

## ALBOIN 200 CRS 28" M 21S



|            |                           |
|------------|---------------------------|
| FRAME      | GEPIDA ALLOY TREKKING 28" |
| FRAME SIZE | 48, 52, 56 CM             |
| FORK       | ZOOM ENJOY 123E 700C 40MM |
| WHEEL SIZE | 28"                       |
| GEARS      | 21                        |

|                                |                 |                                |
|--------------------------------|-----------------|--------------------------------|
| ITEM NUMBER<br><b>30220210</b> | REAR DERAILLEUR | SHIMANO TOURNEY RD-TY300       |
|                                | BRAKE           | PROMAX TX-117                  |
|                                | TYRE            | WTB/FREEDOM WEDGE 38X700C      |
|                                | SADDLE          | SELLE ROYAL ALPINE ACTEX COVER |
|                                | LIGHT           |                                |

|        |  |
|--------|--|
| COLOUR |  |
|        |  |

30220210A 30220210B

HEADSET: FSA TH-807ST HANDLEBAR: GEPIDA CROSS STEEL 600MM BB: 25,4MM GRIP: VELO VLG-207 BRAKE LEVER: SHIMANO ST-EF41 FRONT SHIFTER: SHIMANO ST-EF41 SEAT POST: GEPIDA ALLOY SP-C207 27,2X300MM CRANKARM: PROWHEEL ALLOY 48/38/28 DRIVE UNIT/BOTTOM BRACKET: SHIMANO DEORE SM-BB52 CHAINWHEEL: PROWHEEL ALLOY 48/38/28 CASSETTE: SHIMANO MF-TZ500-714-28T CHAIN: KMC Z50 REAR RIM: BERETTA MT-240 28" 36H FRONT HUB: FORMULA FM-2136H REAR HUB: FORMULA FM-31 36H REAR SPOKE: SAPIM STEEL 14G PEDAL: XERAMA SP-872N W/ REFLECTOR KICKSTAND: STANDWELL SW-MA011 ADJUSTABLE

## ALBOIN 200 CRS 28" L 21S



FRAME GEPIDA ALLOY TREKKING 28"

FRAME SIZE 44, 48, 52 CM

FORK ZOOM ENJOY 123E 700C 40MM

WHEEL SIZE 28"

GEARS 21

ITEM NUMBER

30220216

REAR DERAILLEUR SHIMANO TOURNEY RD-TY300

BRAKE PROMAX TX-117

TYRE WTB/FREEDOM WEDGE 38X700C

SADDLE SELLE ROYAL ALPINE ACTEX COVER

LIGHT

COLOUR



30220216A



30220216B

HEADSET: FSA TH-807ST HANDLEBAR: GEPIDA CROSS STEEL 600MM BB: 25,4MM GRIP: VELO VLG-207 BRAKE LEVER: SHIMANO ST-EF41 FRONT SHIFTER: SHIMANO ST-EF41 SEAT POST: GEPIDA ALLOY SP-C207 27,2X300MM CRANKARM: PROWHEEL ALLOY 48/38/28 DRIVE UNIT/BOTTOM BRACKET: SHIMANO DEORE SM-BB52 CHAINWHEEL: PROWHEEL ALLOY 48/38/28 CASSETTE: SHIMANO MF-TZ500-714-28T CHAIN: KMC Z50 REAR RIM: BERETTA MT-240 28" 36H FRONT HUB: FORMULA FM-21 36H REAR HUB: FORMULA FM-31 36H REAR SPOKE: SAPIM STEEL 14G PEDAL: XERAMA SP872N W/ REFLECTOR KICKSTAND: STANDWELL SW-MA011 ADJUSTABLE





MTB BYCICLES

## ASGARD 29" 12S



|             |  |                 |  |
|-------------|--|-----------------|--|
| FRAME       | GEPIDA ALLOY HYDROFORM MTB 29"               | REAR DERAILLEUR | SHIMANO XT RD-M8100 12S SHADOW PLUS DESIGN |
| FRAME SIZE  | 17" 19" 21"                                  | BRAKE           | SHIMANO BR-MT410                           |
| FORK        | MANITOU MARKHOR AIR 29" TPR 100MM 15QR BOOST | TYRE            | SCHWALBE RAPID ROB 29X2,25 57-622          |
| WHEEL SIZE  | 29"  | SADDLE          | SELLE ROYAL SETA S1                        |
| GEARS       | 12   | LIGHT           |  |
| ITEM NUMBER |  | COLOUR          |  |
| 30220090    |  |                 | 30220090A                                  |

HEADSET: FSA NO.42B STEM: TRANZX JD-ST58A EXT:90MM BB:31,8MM 6DEG HANDLEBAR: GEPIDA ALLOY HB-3018DBFT 720MM BB:31,8MM FLATTOP GRIP: VELO VLG-775-12D2 130MM+VLP171 BRAKE LEVER: SHIMANO BL-MT401 REAR DISC: SHIMANO SM-RT54S 160MM REAR SHIFTER: SHIMANO XT SL-M8100 12S RAPIDFIRE PLUS SEAT POST: GEPIDA ALLOY SP-226 31,6X400MM CRANKARM: SHIMANO DEORE FC-MT510 32T DRIVE UNIT/BOTTOM BRACKET: SHIMANO SM-BB52 CHAINWHEEL: SHIMANO DEORE FC-MT510 32T CASSETTE: SHIMANO DEORE CS-M6100-12 10-51T CHAIN: SHIMANO DEORE CN-M6100 12S REAR RIM: RODI BLACKROCK 29" 622X21C 32H W/ SINGLE EYELET FRONT HUB: SHIMANO HB-MT400 32H 15QR REAR HUB: SHIMANO FH-MT401 32H 12S QR REAR SPOKE: SAPIM STAINLESS STEEL 14G BLACK PEDAL: XERAMA SP-610 W/ REFLECTOR

## RUGA 29" 20S



☐ FRAME GEPIDA ALLOY HYDROFORM MTB 29"

☐ FRAME SIZE 17" 19" 21"

⌚ FORK SR SUNTOUR XCR LOR 29" 100MM QR

○ WHEEL SIZE 29"

🚲 GEARS 20

ITEM NUMBER

**30220080**

☒ REAR DERAILLEUR SHIMANO DEORE RD-M4120 10S SHADOW DESIGN

♀ BRAKE SHIMANO BR-MT200

\*\*\* TYRE SCHWALBE SMART SAM 57-622 29X2,25

⇒ SADDLE SELLE ROYAL SETA S1

💡 LIGHT

COLOUR



30220080A

HEADSET: FSA NO.42B-1 STEM: TRANZ JD-ST58A EXT:90MM BB:31,8MM 6DEG HANDLEBAR: GEPIDA ALLOY HB-3018DBFT 720MM BB:31,8MM FLAT TOP GRIP: VELO VLG-775-I2D2 130MM+VLP171 BRAKE LEVER: SHIMANO BL-MT201 REAR DISC: SHIMANO SM-RT26S 160MM FRONT SHIFTER: SHIMANO DEORE SL-M5100 RAPIDFIRE PLUS REAR SHIFTER: SHIMANO DEORE SL-M4100 10S RAPIDFIRE PLUS SEAT POST: KALLOY SP-DC1 31,6X400MM CRANKARM: SHIMANO FC-M4100-2 2PCS 36/26T DRIVE UNIT/BOTTOM BRACKET: SHIMANO SM-BB52 CHAINWHEEL: SR SUNTOUR XCM-D 38/24 OCTALINK CASSETTE: SHIMANO DEORE CS-M4100-10 11-42T CHAIN: SHIMANO CN-HG54 REAR RIM: RODI BLACKROCK 29" 622X21C 32H W/ SINGLE EYELET FRONT HUB: FORMULA DC-20 32H QR REAR HUB: FORMULA DC-22 32H QR REAR SPOKE: SAPIM STAINLESS STEEL 14G BLACK PEDAL: XERAMA SP-610 W/ REFLECTOR

## SIRMIUM 29" 27S



☐ FRAME GEPIDA ALLOY MTB 29"

☐ FRAME SIZE 17" 19" 21"

⌚ FORK ZOOM VAXA 595S AMS 29" 100MM

○ WHEEL SIZE 29"

🚲 GEARS 27

ITEM NUMBER

**30220060**

☒ REAR DERAILLEUR SHIMANO ALIVIO RD-M3100SGS 9S SHADOW DESIGN

♀ BRAKE SHIMANO BR-MT200

\*\*\* TYRE WTB/FREEDOM CUTLASS 29X2,1"

⇒ SADDLE SELLE ROYAL SETA S1

💡 LIGHT

COLOUR



30220060B

HEADSET: FSA NO.11Q STEM: GEPIDA ALLOY AS601 7DEG BB:31,8MM HANDLEBAR: GEPIDA ALLOY HB-3018DBFT 720MM BB:31,8MM FLAT TOP GRIP: VELO VLG-207 BRAKE LEVER: SHIMANO BL-MT200 REAR DISC: SHIMANO SM-RT26M 160MM FRONT SHIFTER: SHIMANO ALIVIO SL-M3100 3S RAPIDFIRE PLUS SEAT POST: KALLOY SP-DC1 31,6X400MM CRANKARM: PROWHEEL SU-901 DRIVE UNIT/BOTTOM BRACKET: SHIMANO BB-UN101 CHAINWHEEL: PROWHEEL 40/30/22 CASSETTE: SHIMANO ACERA CS-HG200-9 11-34T CHAIN: SHIMANO CN-HG53 REAR RIM: BERETTA DISC25 28" 32H SINGLE EYELET FRONT HUB: FORMULA DC-20 32H QR REAR HUB: FORMULA DC-22 32H QR REAR SPOKE: SAPIM STEEL 14G BLACK PEDAL: XERAMA SP-450 W/ REFLECTOR

## MUNDO PRO 27,5" 24S



|                                     |                                |
|-------------------------------------|--------------------------------|
| <input type="checkbox"/> FRAME      | GEPIDA ALLOY MTB 27,5"         |
| <input type="checkbox"/> FRAME SIZE | 17" 19" 21"                    |
| <input type="checkbox"/> FORK       | ZOOM VAXA 595S AMS 27,5" 100MM |
| <input type="checkbox"/> WHEEL SIZE | 27,5"                          |
| <input type="checkbox"/> GEARS      | 24                             |

ITEM NUMBER  
**30220040**

|   |                                      |
|---|--------------------------------------|
| <input checked="" type="checkbox"/> REAR DERAILLEUR | SHIMANO ALTUS RD-M370SGS             |
| <input type="checkbox"/> BRAKE                      | SHIMANO BR-TX805                     |
| <input type="checkbox"/> TYRE                       | WTB/FREEDOM GANGSTER 27,5X2,1"       |
| <input type="checkbox"/> SADDLE                     | SELLE ROYAL MACH ASTRALE BLACK COVER |
| <input type="checkbox"/> LIGHT                      |                                      |
| COLOUR  |                                      |
|   |                                      |
|   | 30220040A                            |


HEADSET: FSA NO.11Q STEM: GEPIDA ALLOY AS601 7DEG BB:25,4MM HANDLEBAR: GEPIDA ALLOY HB-M301 640MM BB: 25,4MM GRIP: VELO VLG-207 BRAKE LEVER: SHIMANO ST-TX800 REAR DISC: SHIMANO SM-RT26S 160MM FRONT SHIFTER: SHIMANO ST-TX800 SEAT POST: GEPIDA ALLOY SP-C207 31,6X400MM CRANKARM: PROWHEEL TC-CN01 DRIVE UNIT/BOTTOM BRACKET: SHIMANO BB-UN101 CHAINWHEEL: PROWHEEL 42/32/22 CASSETTE: SHIMANO ALTUS CS-HG31-8 11-32T CHAIN: KMC Z50 REAR RIM: BERETTA DISC25 28" 32H SINGLE EYELET FRONT HUB: FORMULA DC-20 32H QR REAR HUB: FORMULA DC-22 32H QR REAR SPOKE: SAPIM STEEL 14G BLACK PEDAL: XERAMA SP-400 W/ REFLECTOR

## MUNDO 26" 21S



|                                     |                          |
|-------------------------------------|--------------------------|
| <input type="checkbox"/> FRAME      | GEPIDA ALLOY MTB 26"     |
| <input type="checkbox"/> FRAME SIZE | 15" 17" 19" 21"          |
| <input type="checkbox"/> FORK       | ZOOM BRAVO 410E 26" 50MM |
| <input type="checkbox"/> WHEEL SIZE | 26"                      |
| <input type="checkbox"/> GEARS      | 21                       |
| ITEM NUMBER                         |                          |
| <b>30220030</b>                     |                          |
| COLOUR                              |                          |
|                                     |                          |
|                                     | 30220030A                |
|                                     |                          |
|                                     | 30220030B                |

HEADSET: FSA NO.11Q STEM: GEPIDA ALLOY AS601 7DEG BB:25,4MM HANDLEBAR: GEPIDA ALLOY HB-M301 600MM BB: 25,4MM GRIP: VELO VLG-207 BRAKE LEVER: SHIMANO ST-EF41 FRONT SHIFTER: SHIMANO ST-EF41 SEAT POST: GEPIDA ALLOY SP-C207 31,6X400MM CRANKARM: PROWHEEL ALLOY 48/38/28 DRIVE UNIT/BOTTOM BRACKET: SHIMANO BB-UN101 CHAINWHEEL: PROWHEEL ALLOY 48/38/28V CASSETTE: SHIMANO MF-TZ500-714-28T CHAIN: KMC Z50 REAR RIM: BERETTA MT-240 26" 36H FRONT HUB: FORMULA FM-21 36H QR REAR HUB: FORMULA FM-31 36H QR REAR SPOKE: SAPIM STEEL 14G BLACK PEDAL: XERAMA SP-400 W/ REFLECTOR



## REPTILA 200 NEXUS 3



▫ FRAME GEPIDA ALLOY CITY 28"

▫ FRAME SIZE 45,50 CM

▫ FORK ZOOM CH-14IV 700C 45MM

▫ WHEEL SIZE 28"

▫ GEARS 3

ITEM NUMBER

**30220425**

▫ REAR DERAILLEUR SHIMANO NEXUS 3

▫ BRAKE GEPIDA ALLOY V

▫ TYRE WTB/FREEDOM CONVERT 45X700C REFLECTIVE TAPE

▫ SADDLE SELLE ROYAL 5509UEN

▫ LIGHT BÜCHEL UNILED 15W SWITCH/TRELOCK LSL613W STANDLIGHT

COLOUR

30220425A

30220425B

HEADSET: FSA TH-807ST STEM: GEPIDA ALLOY MQ417 EXT: 80 BB: 25,4MM HANDLEBAR: GEPIDA STEEL CITY 600MM BB: 25,4MM GRIP: VELO VLG-428 BRAKE LEVER: GEPIDA 4 FINGER ALLOY/PLASTIC REAR SHIFTER: SHIMANO NEXUS 3 SL-3541 REVOSHIFT SEAT POST: GEPIDA ALLOY SP-C207 27,2X300MM CRANKARM: PROWHEEL PRO-A38 38T DRIVE UNIT/BOTTOM BRACKET: SHIMANO BB-UN101 CHAINWHEEL: PROWHEEL PRO-A38 38T CHAIN: KMC Z410 REAR RIM: BERETTA MT-240 28" 36H FRONT HUB: SHIMANO DYNAMO HUB DH-C3000 36H REAR HUB: SHIMANO NEXUS 3 SG-C41 REAR SPOKE: SAPIM STEEL 14G CARRIER: GEPIDA STEEL 28" MUDGUARD: HEBIE RAINLINE SPEEDY TYPE 53MM 28" PEDAL: XERAMA SP872N W/ REFLECTOR



## CASSIS GRX 20





|             |            |                               |  |                 |  |
|-------------|------------|-------------------------------|--|-----------------|--|
|             | FRAME      | GEPIDA ALLOY HYDROFORM GRAVEL |  | REAR DERAILLEUR | SHIMANO RD-RX400 10S SHADOW PLUS DESIGN                      |
|             | FRAME SIZE | 50, 54, 58 CM                 |  | BRAKE           | SHIMANO GRX ST-RX400+BR-RX400                                |
|             | FORK       | GEPIDA ALLOY DISC 700C        |  | TYRE            | SCHWALBE G-ONE BITE PERFORMANCE RACEGUARD TLE 50-622 B/CL-SK |
|             | WHEEL SIZE | 28"                           |  | SADDLE          | SELLE ROYAL SETA SI  |
|             | GEARS      | 20                            |  | LIGHT           |  |
| ITEM NUMBER |            |                               |  |                 |  |
| 30220140    |            |                               |  |                 |  |

HEADSET: FSA NO.42B STEM: TRANZX JD-ST58A EXT:90MM BB:31,8MM 6DEG HANDLEBAR: GEPIDA ALLOY DR-AL211 BUTTED FLARE 16DEG GRIP: VELO VLT-079 BRAKE LEVER: SHIMANO GRX ST-RX400+BR-RX400 REAR SHIFTER: SHIMANO GRX ST-RX400+BR-RX400 SEAT POST: KALLOY SP-DC1 27,2X300MM DRIVE UNIT/BOTTOM BRACKET: FSA BSA INTEGRATED CRANKARM: FSA OMEGA MEGAEXO 19MM CHAINWHEEL: FSA 46/30T CASSETTE: SHIMANO DEORE CS-HG500-10 11-34T CHAIN: SHIMANO CN-HG54 REAR RIM: RODI AIRLINE CORSA 32H 622X19C FRONT HUB: SHIMANO HB-RS470 32H 12QR REAR HUB: SHIMANO FH-RS470 32H 12QR REAR SPOKE: SAPIM STAINLESS STEEL 14G BLACK



30220140



**THE ROAD  
IS JUST  
AN OPTION**



Olimpia Bicycle Ltd.

---

H-1164 Budapest, Ostorhegy str. 4.  
+36 1 400 6065  
+36 1 402 0084

info@gepida.com  
www.gepida.com